

Row no	Year - box	Sample	Longitude (E)	Latitude (N)	Area	Water depth, m	Notes / Sample type	Collector
1	1976 STN 1-30 SNV 15-75D	1976 STN 1	22°37	65°24	Bothnian Bay	45?	<i>Bottle</i> ; fine sediment (gray)	Kurt Boström Johan Ingri
2	1976 STN 1-30 SNV 15-75D	1976 STN 2	22°51	65°25	Bothnian Bay	58?	<i>Bottle</i> ; fine sediment (grey)	Kurt Boström Johan Ingri
3	1976 STN 1-30 SNV 15-75D	1976 STN 3	23°06	65°25	Bothnian Bay	86	<i>Bottle</i> ; fine sediment (grey)	Kurt Boström Johan Ingri
4	1976 STN 1-30 SNV 15-75D	1976 STN 4	23°24	65°24	Bothnian Bay	100	missing sample	Kurt Boström Johan Ingri
5	1976 STN 1-30 SNV 15-75D	1976 STN 5	23°40	65°24	Bothnian Bay	38	<i>Bottle</i> ; fine sediment (grey)	Kurt Boström Johan Ingri
6	1976 STN 1-30 SNV 15-75D	1976 STN 6	23°58	64°45	Bothnian Bay	27	<i>Bottle</i> ; till	Kurt Boström Johan Ingri
7	1976 STN 1-30 SNV 15-75D	1976 STN 7	23°47	64°425	Bothnian Bay	40?	<i>Bottle</i> ; fine sediment (grey)	Kurt Boström Johan Ingri
8	1976 STN 1-30 SNV 15-75D	1976 STN 11	22°41	63°59	Bothnian Bay	40	<i>Bag</i> ; sand	Kurt Boström Johan Ingri
9	1976 STN 1-30 SNV 15-75D	1976 STN 12	22°18	64°03	Bothnian Bay	85-95	<i>Bottle</i> ; fine sediment (grey)	Kurt Boström Johan Ingri
10	1976 STN 1-30 SNV 15-75D	1976 STN 19	21°38	64°33	Bothnian Bay	37	<i>Bottles</i> ; nodules, fine sediment (grey) <i>Bags</i> ; nodules, crust, coatings on stones, stones-gravel-fine sediment	Kurt Boström Johan Ingri

Row no	Year - box	Sample	Longitude (E)	Latitude (N)	Area	Water depth, m	Notes / Sample type	Collector
11	1976 STN 1-30 SNV 15-75D	1976 STN 23	21°315	64°47	Bothnian Bay	37	<i>Bottle</i> ; fin sediment (grey) <i>Bags</i> : nodules, crust, coatings on stones, stones-gravel-sand	Kurt Boström Johan Ingri
12	1976 STN 1-30 SNV 15-75D	1976 STN 25	21°375	64°56	Bothnian Bay	38	<i>Bags</i> ; nodules (fragments), crust, coatings on stones, stones-gravel-sand	Kurt Boström Johan Ingri
13	1976 STN 1-30 SNV 15-75D	1976 STN 26	21°57	64°545	Bothnian Bay	90	<i>Bags</i> ; nodules, crust, powdered crust, stones	Kurt Boström Johan Ingri
14	1976 STN 1-30 SNV 15-75D	1976 STN 28	22°325	64°51	Bothnian Bay	90	<i>Bottle</i> : fine sediment (grey) <i>Bags</i> ; nodules, stones	Kurt Boström Johan Ingri
15	1976 STN 1-30 SNV 15-75D	1976 STN 29	22°515	64°495	Bothnian Bay	80	<i>Bottles</i> ; nodules, nodules in crust <i>Bags</i> ; large number of nodules in crust	Kurt Boström Johan Ingri
16	1976 STN 1-30 SNV 15-75D	1976 STN 30	22°27	65°005	Bothnian Bay	60	<i>Bags</i> ; nodules, stones-gravel	Kurt Boström Johan Ingri
17	1976 STN 1-30 SNV 15-75D	1976 SNV 15	21°25	64°385	Bothnian Bay Skellefteå area	30	<i>Jar</i> , powder (nodule)	G. Lithner Johan Ingri
18	1976 STN 1-30 SNV 15-75D	1976 SNV 17A	21°285	64°395	Bothnian Bay Skellefteå area	~35	<i>Jar</i> , powder (nodule)	G. Lithner Johan Ingri
19	1976 STN 1-30 SNV 15-75D	1976 SNV 18C	21°33	64°39	Bothnian Bay Skellefteå area	40	<i>Jar</i> , powder (nodule)	G. Lithner Johan Ingri
20	1976 STN 1-30 SNV 15-75D	1976 SNV 19C	21°355	64°37	Bothnian Bay Skellefteå area	~55	<i>Jars</i> ; powder (nodules)	G. Lithner Johan Ingri

Row no	Year - box	Sample	Longitude (E)	Latitude (N)	Area	Water depth, m	Notes / Sample type	Collector
21	1976 STN 1-30 SNV 15-75D	1976 SNV 21E	21°305	64°38	Bothnian Bay Skellefteå area	30	<i>Jars</i> ; powder (nodules)	G. Lithner Johan Ingri
22	1976 STN 1-30 SNV 15-75D	1976 SNV 23C	21°275	64°415	Bothnian Bay Skellefteå area	20	<i>Jar</i> ; powder (nodule, flat)	G. Lithner Johan Ingri
23	1976 STN 1-30 SNV 15-75D	1976 SNV 26C	21°355	64°425	Bothnian Bay Skellefteå area	55	<i>Jar</i> ; powder (nodule, flat)	G. Lithner Johan Ingri
24	1976 STN 1-30 SNV 15-75D	1976 SNV 27C	21°36	64°45	Bothnian Bay Skellefteå area	~70	<i>Jars</i> ; powder (nodules)	G. Lithner Johan Ingri
25	1976 STN 1-30 SNV 15-75D	1976 SNV 52A	21°27	64°44	Bothnian Bay Skellefteå area	~25	<i>Jar</i> ; powder (nodule)	G. Lithner Johan Ingri
26	1976 STN 1-30 SNV 15-75D	1976 SNV 53B	21°275	64°45	Bothnian Bay Skellefteå area	~40	<i>Jar</i> ; powder (nodule)	G. Lithner Johan Ingri
27	1976 STN 1-30 SNV 15-75D	1976 SNV 68			Bothnian Bay Skellefteå area		missing data on position and depth <i>Jars</i> ; powder (nodules)	G. Lithner Johan Ingri
28	1976 STN 1-30 SNV 15-75D	1976 SNV 70	21°405	64°40	Bothnian Bay Skellefteå area	~60	<i>Jar</i> ; powder (nodules)	G. Lithner Johan Ingri
29	1976 STN 1-30 SNV 15-75D	1976 SNV 71D	21°46	64°40	Bothnian Bay Skellefteå area	~80	<i>Jar</i> ; powder (nodules)	G. Lithner Johan Ingri
30	1976 STN 1-30 SNV 15-75D	1976 SNV 74C	21°505	64°295	Bothnian Bay Skellefteå area	~75	<i>Jar</i> ; powder (nodule)	G. Lithner Johan Ingri

Row no	Year - box	Sample	Longitude (E)	Latitude (N)	Area	Water depth, m	Notes / Sample type	Collector
31	1976 STN 1-30 SNV 15-75D	1976 SNV 75D	21°565	64°295	Bothnian Bay Skellefteå area	~100	<i>Jars</i> ; powder (nodules)	G. Lithner Johan Ingri
32	1977 STN 1-32	1977 STN 1	17°365	60°432	Bothnian Sea	50	<i>Bottle</i> ; fine sediment (grey) <i>Bag</i> ; fine sediment (grey)	Kurt Boström Johan Ingri
33	1977 STN 1-32	1977 STN 3	18°235	60°47	Bothnian Sea	55	<i>Tube</i> ; fine sediment. <i>Jars</i> ; powder (crust) <i>Bottle</i> ; fine sediment with some gravel <i>Bags</i> ; crust, stones-gravel-fine sediment	Kurt Boström Johan Ingri
34	1977 STN 1-32	1977 STN 11	18°51	61°41	Bothnian Sea	52	<i>Tube</i> ; fine sediment (grey) <i>Bottle</i> ; fine sediment (grey)	Kurt Boström Johan Ingri
35	1977 STN 1-32	1977 STN 12	18°02	61°40	Bothnian Sea	60	<i>Tube</i> ; fine sediment to gravel <i>Jars</i> ; powder (crust) <i>Bottle</i> ; fine sediment to gravel	Kurt Boström Johan Ingri
36	1977 STN 1-32	1977 STN 12 (cont.)	18°02	61°40	Bothnian Sea	60	<i>Bags</i> ; crust, stone-fine sediment	Kurt Boström Johan Ingri
37	1977 STN 1-32	1977 STN 13	17°43	61°415	Bothnian Sea	56	<i>Tube</i> ; fine sediment to gravel <i>Jars</i> ; powder (crust) <i>Bottle</i> ; fine sediment to gravel	Kurt Boström Johan Ingri
38	1977 STN 1-32	1977 STN 13 (cont.)	17°43	61°415	Bothnian Sea	56	<i>Bags</i> ; crust, stone-fine sediment	Kurt Boström Johan Ingri
39	1977 STN 1-32	1977 STN 14	18°005	61°525	Bothnian Sea	76	<i>Jars</i> ; powder (crust) <i>Bag</i> ; crust	Kurt Boström Johan Ingri
40	1977 STN 1-32	1977 STN 16	18°445	62°055	Bothnian Sea	96	<i>Jars</i> ; powder (crust) <i>Bottle</i> ; fine sediment (grey) <i>Bags</i> ; crust	Kurt Boström Johan Ingri

Row no	Year - box	Sample	Longitude (E)	Latitude (N)	Area	Water depth, m	Notes / Sample type	Collector
41	1977 STN 1-32	1977 STN 22	19°335	62°315	Bothnian Sea	138	<i>Tube</i> ; fine sediment. <i>Jars</i> ; powder (crust) <i>Bottle</i> ; fine sediment (grey) <i>Bags</i> ; nodules, crust, stone	Kurt Boström Johan Ingri
42	1977 STN 1-32	1977 STN 26	19°40	62°50	Bothnian Sea	120	<i>Bag</i> ; nodule	Kurt Boström Johan Ingri
43	1977 STN 1-32	1977 STN 27	20°07	62°525	Bothnian Sea	70	<i>Jars</i> ; powder (nodule)	Kurt Boström Johan Ingri
44	1977 STN 1-32	1977 STN 28	20°33	62°565	Bothnian Sea	48	<i>Jars</i> ; powder (nodule)	Kurt Boström Johan Ingri
45	1977 STN 1-32	1977 STN 29	20°29	63°055	Bothnian Sea	56	<i>Jars</i> ; powder (crust, girdle)	Kurt Boström Johan Ingri
46	1977 STN 1-32	1977 STN 30	20°29	63°265	North Kvarken	48	<i>Jars</i> ; powder (coating on stone) <i>Bottle</i> ; gravel-sand <i>Bags</i> ; stones, thin coatings on a few	Kurt Boström Johan Ingri
47	1977 STN 1-32	1977 STN 31	20°55	63°305	North Kvarken	32	<i>Tube</i> ; fine sediment. <i>Jars</i> ; powder (crust) <i>Bottle</i> ; fine sediment (grey) <i>Bags</i> ; stones, thin coatings on a few	Kurt Boström Johan Ingri
48	1977 STN 1-32	1977 STN 32	21°145	63°41	North Kvarken	38-44	<i>Tube</i> ; fine sediment. <i>Jars</i> ; powder (crust) <i>Bottle</i> ; fine sediment (grey) <i>Bags</i> ; crust	Kurt Boström Johan Ingri
49	1977 STN 37-48	1977 STN 37	23°00	64°15	Bothnian Bay	42	<i>Tube</i> ; fine sediment. <i>Jars</i> ; powder (crust or coating). <i>Bottle</i> ; fine sediment (grey) <i>Bag</i> ; crust, coatings on stones, sand	Kurt Boström Johan Ingri
50	1977 STN 37-48	1977 STN 38	23°085	64°23	Bothnian Bay	48	<i>Tube</i> ; fine sediment. <i>Jars</i> ; powder (nodule). <i>Bottle</i> ; fine sediment (grey) <i>Bags</i> ; nodules, nodules in crust, fine sed.	Kurt Boström Johan Ingri

Row no	Year - box	Sample	Longitude (E)	Latitude (N)	Area	Water depth, m	Notes / Sample type	Collector
51	1977 STN 37-48	1977 STN 40B	23°02	64°445	Bothnian Bay	74	<i>Tube</i> ; fine sediment. <i>Jars</i> ; powder (crust, nodule). <i>Bottle</i> ; fine sediment (grey) <i>Bags</i> ; nodules, crust, sand to fine sedim.	Kurt Boström Johan Ingri
52	1977 STN 37-48	1977 STN 41	23°055	64°495	Bothnian Bay	56	<i>Tube</i> ; fine sediment. <i>Jars</i> ; powder (crust) <i>Bottle</i> ; fine sediment to sand <i>Bags</i> ; crust, thin coatings on gravel, sand	Kurt Boström Johan Ingri
53	1977 STN 37-48	1977 STN 43	23°52	64°555	Bothnian Bay	30	<i>Tube</i> ; sand. <i>Jars</i> ; powder (crust) <i>Bottle</i> ; sand <i>Bags</i> ; crust (some), stone-gravel-sand	Kurt Boström Johan Ingri
54	1977 STN 37-48	1977 STN 44	24°08	65°12	Bothnian Bay	35-40	<i>Tube</i> ; fine sediment (silt) <i>Bottle</i> ; fine sediment (silt)	Kurt Boström Johan Ingri
55	1977 STN 37-48	1977 STN 45	23°31	65°10	Bothnian Bay	82	<i>Tube</i> ; fine sediment (brown). <i>Jars</i> ; powder (crust). <i>Bottles</i> ; fine sediment (brown). <i>Bag</i> ; fine sediment (brown)	Kurt Boström Johan Ingri
56	1977 STN 37-48	1977 STN 47	22°425	65°08	Bothnian Bay	40	<i>Tube</i> ; fine sediment (brown) <i>Bottle</i> ; fine sediment	Kurt Boström Johan Ingri
57	1977 STN 37-48	1977 STN 48	22°27	65°12	Bothnian Bay	38	<i>Tube</i> ; fine sediment (silt) <i>Bottle</i> ; fine sediment (silt) <i>Bag</i> ; gravel	Kurt Boström Johan Ingri
58	1978 STN 6-27	1978 STN 6	18°054	58°505	Baltic Sea	35-50	<i>Tube</i> ; fine sediment (brown in places) <i>Bottle</i> ; crust <i>Bags</i> ; crust, coatings on gravel, gravel	Kurt Boström Johan Ingri
59	1978 STN 6-27	1978 STN 8	18°108	58°47	Baltic Sea	75	<i>Tube</i> ; fine sediment (brown in places)	Kurt Boström Johan Ingri
60	1978 STN 6-27	1978 STN 11	19°094	58°418	Baltic Sea	55	<i>Bag</i> ; sand	Kurt Boström Johan Ingri

Row no	Year - box	Sample	Longitude (E)	Latitude (N)	Area	Water depth, m	Notes / Sample type	Collector
61	1978 STN 6-27	1978 STN 12	19°378	58°584	Baltic Sea	105	<i>Tube</i> ; fine sediment <i>Bags</i> ; cobble, gravel	Kurt Boström Johan Ingri
62	1978 STN 6-27	1978 STN 13	19°425	59°05	Baltic Sea	80	<i>Tube</i> ; fine sediment (brown in places) <i>Bags</i> ; crust, gravel	Kurt Boström Johan Ingri
63	1978 STN 6-27	1978 STN 14	19°494	59°243	Baltic Sea	50	<i>Tube</i> ; fine sediment (brown in places) <i>Bags</i> ; gravel	Kurt Boström Johan Ingri
64	1978 STN 6-27	1978 STN 15	19°518	59°267	Baltic Sea	35	<i>Tube</i> ; fine sediment <i>Bags</i> ; thin coatings on some stones, stone-gravel	Kurt Boström Johan Ingri
65	1978 STN 6-27	1978 STN 17	19°534	59°307	Baltic Sea	63-69	<i>Tube</i> ; fine sediment (brown in places) <i>Bag</i> ; crust	Kurt Boström Johan Ingri
66	1978 STN 6-27	1978 STN 18	19°538	59°315	Baltic Sea	50	<i>Tube</i> ; fine sediment (grey) <i>Bags</i> ; thin coatings on some stones, gravel	Kurt Boström Johan Ingri
67	1978 STN 6-27	1978 STN 19	19°548	59°327	Baltic Sea	~25	<i>Tube</i> ; fine sediment (grey) <i>Bags</i> ; stones-gravel	Kurt Boström Johan Ingri
68	1978 STN 6-27	1978 STN 22	18°535	60°007	Baltic Sea	15-20	<i>Tube</i> ; fine sediment (grey) <i>Bags</i> ; thin coatings on some stones, stone-gravel	Kurt Boström Johan Ingri
69	1978 STN 6-27	1978 STN 23	18°56	60°011	Bothnian Sea	60	<i>Tube</i> ; fine sediment (grey)	Kurt Boström Johan Ingri
70	1978 STN 6-27	1978 STN 26	18°568	60°037	Bothnian Sea	90	<i>Tube</i> ; fine sediment with gravel <i>Bags</i> ; crust, thin coatings on some stones, stone-gravel-fine sediment	Kurt Boström Johan Ingri

Row no	Year - box	Sample	Longitude (E)	Latitude (N)	Area	Water depth, m	Notes / Sample type	Collector
71	1978 STN 6-27	1978 STN 27	19°005	60°245	Bothnian Sea	45-60	missing sample	Kurt Boström Johan Ingri
72	1978 STN 28-44	1978 STN 28	19°02	60°328	Bothnian Sea	70	<i>Tube</i> ; fine sediment with gravel <i>Bags</i> ; crust, gravel	Kurt Boström Johan Ingri
73	1978 STN 28-44	1978 STN 29	19°10	60°406	Bothnian Sea	77	<i>Tube</i> ; fine sediment (grey)	Kurt Boström Johan Ingri
74	1978 STN 28-44	1978 STN 30	19°11	61°145	Bothnian Sea	80	<i>Tube</i> ; fine sediment (grey) <i>Bags</i> ; crust, thin coating on some gravel, gravel	Kurt Boström Johan Ingri
75	1978 STN 28-44	1978 STN 32	18°40	61°135	Bothnian Sea	33-50	<i>Tube</i> ; fine sediment (brown in places) <i>Bags</i> ; gravel-sand	Kurt Boström Johan Ingri
76	1978 STN 28-44	1978 STN 34	17°41	61°105	Bothnian Sea	42-50	<i>Tube</i> ; fine sediment with gravel <i>Bags</i> ; crust, gravel	Kurt Boström Johan Ingri
77	1978 STN 28-44	1978 STN 36	17°395	61°10	Bothnian Sea	20-28	<i>Tube</i> ; fine sediment (grey)	Kurt Boström Johan Ingri
78	1978 STN 28-44	1978 STN 39	18°42	61°475	Bothnian Sea	40-52	<i>Tube</i> ; fine sediment (silt)-sand-gravel <i>Bag</i> ; gravel	Kurt Boström Johan Ingri
79	1978 STN 28-44	1978 STN 40	18°48	61°48	Bothnian Sea	30-33	<i>Tube</i> ; fine sediment (grey) <i>Bags</i> ; cobble, coarse sand to fine sediment	Kurt Boström Johan Ingri
80	1978 STN 28-44	1978 STN 41	18°565	61°495	Bothnian Sea	40-42	<i>Tube</i> ; fine sediment (brown in places), sand <i>Bags</i> ; stone to coarse sand	Kurt Boström Johan Ingri

Row no	Year - box	Sample	Longitude (E)	Latitude (N)	Area	Water depth, m	Notes / Sample type	Collector
81	1978 STN 28-44	1978 STN 42	18°53	61°465	Bothnian Sea	32-43	<i>Tube</i> ; fine sediment to sand <i>Bag</i> ; coarse sand	Kurt Boström Johan Ingri
82	1978 STN 28-44	1978 STN 43	18°535	61°405	Bothnian Sea	48-52	<i>Jar</i> , crust <i>Bags</i> ; crust, stone-gravel-fine sediment	Kurt Boström Johan Ingri
83	1978 STN 28-44	1978 STN 44	19°06	61°425	Bothnian Sea	68-70	<i>Bottle</i> ; irregular nodules (crust?) <i>Bags</i> ; cobble, some limestone fragments, coarse sand	Kurt Boström Johan Ingri
84	1978 STN 46-69	1978 STN 46	19°455	61°465	Bothnian Sea	76-86	<i>Bags</i> ; crust, gravel, fine sediment (grey)	Kurt Boström Johan Ingri
85	1978 STN 46-69	1978 STN 47	18°42	62°135	Bothnian Sea	103	<i>Bags</i> ; gravel, fine sediment (clay)	Kurt Boström Johan Ingri
86	1978 STN 46-69	1978 STN 49	18°085	62°155	Bothnian Sea	70-80	<i>Bags</i> ; crust, fine sediment (clay)	Kurt Boström Johan Ingri
87	1978 STN 46-69	1978 STN 50	17°59	62°155	Bothnian Sea	48-52	<i>Bags</i> ; stones, a few cobbles, gravel, sand	Kurt Boström Johan Ingri
88	1978 STN 46-69	1978 STN 55	17°3	62°2	Bothnian Sea S of Alnö	30	approx. position <i>Bags</i> ; fine sediment, gravel to stones, piece of bark	Kurt Boström Johan Ingri
89	1978 STN 46-69	1978 STN 57	17°23	62°29	Bothnian Sea N of Alnö	20-30	approx. position <i>Bags</i> ; fine sediment, pieces of bark	Kurt Boström Johan Ingri
90	1978 STN 46-69	1978 STN 59	17°29	62°29	Bothnian Sea NE of Alnö	16-18	approx. position <i>Bags</i> ; fine sediment, piece of bark	Kurt Boström Johan Ingri

Row no	Year - box	Sample	Longitude (E)	Latitude (N)	Area	Water depth, m	Notes / Sample type	Collector
91	1978 STN 46-69	1978 STN 67	17°49	62°275	Bothnian Sea	62-70	<i>Bags</i> ; gravel (some with a thin coating), stone-gravel-fine sediment	Kurt Boström Johan Ingri
92	1978 STN 46-69	1978 STN 69	18°125	62°255	Bothnian Sea	60-65	<i>Bags</i> ; crust, fine sediment (sandy)	Kurt Boström Johan Ingri
93	1978 STN 70-77	1978 STN 70	18°155	62°255	Bothnian Sea	42-50	<i>Jars</i> ; crust <i>Bags</i> ; crust, gravel-fine sediment	Kurt Boström Johan Ingri
94	1978 STN 70-77	1978 STN 71	18°17	62°255	Bothnian Sea	25-30	approx. position <i>Bags</i> ; cobbles, gravel-sand	Kurt Boström Johan Ingri
95	1978 STN 70-77	1978 STN 75	19°495	63°055	Bothnian Sea	90-100	<i>Bags</i> ; crusts, discs, coatings on cobbles, stones and gravel, stones-gravel-fine sediment	Kurt Boström Johan Ingri
96	1978 STN 70-77	1978 STN 76	19°315	63°135	Bothnian Sea	60-80	<i>Bags</i> ; coatings on gravel, fine sediment-sand-coarse sand	Kurt Boström Johan Ingri
97	1978 STN 70-77	1978 STN 77	19°195	63°205	Bothnian Sea	40-70	<i>Jars</i> ; crust <i>Bags</i> ; coatings on stones, cobbles-stones-gravel-sand, pieces of bark	Kurt Boström Johan Ingri
98	1978 STN 78-91	1978 STN 78	21°11	63°29	North Kvarken	25-35	<i>Bags</i> ; coarse gravel, some with coatings	Kurt Boström Johan Ingri
99	1978 STN 78-91	1978 STN 81	21°16	63°425	North Kvarken	43	<i>Jars</i> ; nodules, crust <i>Bags</i> ; nodules, fine sediment (grey)	Kurt Boström Johan Ingri
100	1978 STN 78-91	1978 STN 83	21°115	63°41	North Kvarken	37	<i>Jar</i> , flat nodule <i>Bags</i> ; sand-gravel	Kurt Boström Johan Ingri

Row no	Year - box	Sample	Longitude (E)	Latitude (N)	Area	Water depth, m	Notes / Sample type	Collector
101	1978 STN 78-91	1978 STN 87	22°185	64°54	Bothnian Bay	75-86	<i>Jars</i> ; nodules <i>Bags</i> ; nodules (many), crust, cobble, stones, gravel	Kurt Boström Johan Ingri
102	1978 STN 78-91	1978 STN 88	22°30	65°005	Bothnian Bay	53-44	<i>Jars</i> ; nodules, crust <i>Bags</i> ; crust, fine sediment to sand	Kurt Boström Johan Ingri
103	1978 STN 78-91	1978 STN 89	22°295	65°03	Bothnian Bay	37-40	<i>Jars</i> ; nodules <i>Bags</i> ; coatings on gravel, fine sediment-sand-gravel	Kurt Boström Johan Ingri
104	1978 STN 78-91	1978 STN 90	22°30	65°045	Bothnian Bay	33-37	<i>Bags</i> ; fine sediment-sand-gravel (no nodules)	Kurt Boström Johan Ingri
105	1978 STN 78-91	1978 STN 91	22°30	65°07	Bothnian Bay	27-30	<i>Jars</i> ; nodules <i>Bags</i> ; thin coatings on gravel, sand	Kurt Boström Johan Ingri
106	1979 STN 1A-15	1979 STN 1A	23°03	65°11	Bothnian Bay	110-148	<i>Bag</i> ; nodules	Johan Ingri Tom Flodén
107	1979 STN 1A-15	1979 STN 2	23°20	65°26	Bothnian Bay	120	<i>Bag</i> ; fine sediment (grey)	Johan Ingri
108	1979 STN 1A-15	1979 STN 3	23°22	65°23	Bothnian Bay	75	<i>Tube</i> ; fine sediment (brownish)	Johan Ingri
109	1979 STN 1A-15	1979 STN 4	23°21	65°20	Bothnian Bay	102	<i>Tube</i> ; fine sediment (brownish)	Johan Ingri
110	1979 STN 1A-15	1979 STN 5	23°20	65°17	Bothnian Bay	78-86	<i>Tube</i> ; fine sediment (brownish)	Johan Ingri

Row no	Year - box	Sample	Longitude (E)	Latitude (N)	Area	Water depth, m	Notes / Sample type	Collector
111	1979 STN 1A-15	1979 STN 6	23°19	65°15	Bothnian Bay	78	<i>Tube</i> ; fine sediment (brownish)	Johan Ingri
112	1979 STN 1A-15	1979 STN 7A	23°26	65°16	Bothnian Bay	78	<i>Bag</i> ; fine sediment (yellow-brown), no nodules	Johan Ingri
113	1979 STN 1A-15	1979 STN 8	23°17	65°11	Bothnian Bay	70	<i>Jars</i> ; nodules, crust <i>Bags</i> ; nodules, crust, cobbles, fine gravel-coarse sand-fine sediment (grey)	Johan Ingri
114	1979 STN 1A-15	1979 STN 9	23°175	65°06	Bothnian Bay	90-120	<i>Bag</i> ; fine sediment (grey)	Johan Ingri
115	1979 STN 1A-15	1979 STN 10	23°21	65°05	Bothnian Bay	60	<i>Bags</i> ; fine sediment (brown)	Johan Ingri
116	1979 STN 1A-15	1979 STN 11	23°15	65°00	Bothnian Bay	85	<i>Bags</i> ; fine sediment (brown)	Johan Ingri
117	1979 STN 1A-15	1979 STN 12	23°05	65°025	Bothnian Bay	76	<i>Jar</i> , nodule <i>Bags</i> ; coating on cobble and gravel, fine sediment (brown)	Johan Ingri
118	1979 STN 1A-15	1979 STN 13	22°495	65°02	Bothnian Bay	54	<i>Bags</i> ; fine sediment (in places brown)	Johan Ingri
119	1979 STN 1A-15	1979 STN 14	22°56	64°59	Bothnian Bay	79	<i>Bags</i> ; nodules (small), fine sediment (grey)to fine gravel	Johan Ingri
120	1979 STN 1A-15	1979 STN 15A	23°065	64°56	Bothnian Bay	104	<i>Tube</i> ; sand to fine sediment <i>Bags</i> ; coating on cobbles, sand	Johan Ingri

Row no	Year - box	Sample	Longitude (E)	Latitude (N)	Area	Water depth, m	Notes / Sample type	Collector
121	1979 STN 1A-15	1979 STN 15	23°065	64°56	Bothnian Bay	104	<i>Tube</i> ; sand to fine sediment. <i>Jar</i> ; nodule <i>Bags</i> ; crust, coating on cobbles, girdles on stones and sediment, stones-gravel-sand	Johan Ingri
122	1979 STN 16-23	1979 STN 16	23°15	64°57	Bothnian Bay	88	<i>Bag</i> ; fine sediment (brownish)	Johan Ingri
123	1979 STN 16-23	1979 STN 17	23°13	64°545	Bothnian Bay	90	<i>Bag</i> ; fine sediment (brownish)	Johan Ingri
124	1979 STN 16-23	1979 STN 18	23°13	64°505	Bothnian Bay	90	<i>Bag</i> ; fine sediment (grey)	Johan Ingri
125	1979 STN 16-23	1979 STN 19	23°11	64°495	Bothnian Bay	70	<i>Jar</i> , nodule <i>Bags</i> ; nodules, crust	Johan Ingri
126	1979 STN 16-23	1979 STN 20	23°00	64°505	Bothnian Bay	60	<i>Tube</i> ; sand <i>Bags</i> ; crust, girdles and coatings on cobbles and stones	Johan Ingri
127	1979 STN 16-23	1979 STN 21	22°51	64°50	Bothnian Bay	80	<i>Tube</i> ; sand to fine sediment <i>Bags</i> ; nodule (flat), crust, girdles and coatings on cobbles and stones	Johan Ingri
128	1979 STN 16-23	1979 STN 22	22°48	64°515	Bothnian Bay	81-87	Sample taken 010912 (Johan Ingri) <i>Bags</i> ; crust, coating on cobbles and stones, girdles on stones, fine sed. (grey)	Johan Ingri
129	1979 STN 16-23	1979 STN 23	22°46	64°475	Bothnian Bay	88-96	<i>Bags</i> ; girdle on cobble, fine sediment (brown in places)	Johan Ingri
130	1979 STN 24-27	1979 STN 24	22°565	64°47	Bothnian Bay	68-78	<i>Jar</i> , nodules <i>Bags</i> ; nodules, crust, coating on cobbles	Johan Ingri

Row no	Year - box	Sample	Longitude (E)	Latitude (N)	Area	Water depth, m	Notes / Sample type	Collector
131	1979 STN 24-27	1979 STN 25	23°065	64°475	Bothnian Bay	80	<i>Bags</i> ; nodules, crust, girdles on cobbles and stones, glacial clay with black layers, sand-clay	Johan Ingri
132	1979 STN 24-27	1979 STN 26	23°12	64°47	Bothnian Bay	80	<i>Bags</i> ; crust, coatings on stone, fine sediment to sand	Johan Ingri
133	1979 STN 24-27	1979 STN 27	23°03	64°455	Bothnian Bay	62-72	<i>Tube</i> ; fine sediment (clay) <i>Bottle</i> ; fine sediment <i>Bags</i> ; crust, cobble, fine sediment	Johan Ingri
134	1979 STN 28-35	1979 STN 28	22°52	64°42	Bothnian Bay	70-75	<i>Tube</i> ; fine sediment. <i>Jar</i> ; nodule, <i>Bottle</i> ; fine sediment. <i>Bags</i> ; flat nodule, crust, girdles on stones, stone-sand	Johan Ingri
135	1979 STN 28-35	1979 STN 29	23°00	64°45	Bothnian Bay	68-74	<i>Tube</i> ; fine sediment to sand (brownish) <i>Jar</i> ; nodules (small). <i>Bottle</i> ; fine sediment <i>Bags</i> ; nodules, crust, cobble, stone-sand	Johan Ingri
136	1979 STN 28-35	1979 STN 31	22°38	64°38	Bothnian Bay	88-90	<i>Bags</i> ; possible nodules, fine sediment to coarse sand	Johan Ingri
137	1979 STN 28-35	1979 STN 32	22°38	64°355	Bothnian Bay	97	<i>Jar</i> , nodules (small) <i>Bag</i> ; fine sediment (grey)	Johan Ingri
138	1979 STN 28-35	1979 STN 33	22°28	64°325	Bothnian Bay	94	<i>Bags</i> ; brown small flakes, fine sediment (grey)	Johan Ingri
139	1979 STN 28-35	1979 STN 34	22°28	64°285	Bothnian Bay	96-97	<i>Jar</i> , nodule <i>Bags</i> ; nodules, fine sediment (grey)	Johan Ingri
140	1979 STN 28-35	1979 STN 35	22°27	64°245	Bothnian Bay	76-80	<i>Tube</i> ; fine sediment (grey) <i>Jar</i> , nodules <i>Bags</i> ; nodules	Johan Ingri

Row no	Year - box	Sample	Longitude (E)	Latitude (N)	Area	Water depth, m	Notes / Sample type	Collector
141	1979 STN 36-45	1979 STN 36	22°085	64°20	Bothnian Bay	96	<i>Tube</i> ; nodules in fine sediment (brown) <i>Jar</i> ; nodule <i>Bags</i> ; nodules	Johan Ingri
142	1979 STN 36-45	1979 STN 37	22°03	64°20	Bothnian Bay	100-110	<i>Bags</i> ; crust, fine sediment (grey)	Johan Ingri
143	1979 STN 36-45	1979 STN 38	21°52	64°20	Bothnian Bay	90-104	<i>Bags</i> ; brown small flakes, fine sediment (grey)	Johan Ingri
144	1979 STN 36-45	1979 STN 39	21°46	64°20	Bothnian Bay	70-80	<i>Tube</i> ; nodules in fine sediment <i>Bags</i> ; nodules, fine sediment	Johan Ingri
145	1979 STN 36-45	1979 STN 40	21°37	64°19	Bothnian Bay	35-40	<i>Tube</i> ; sand <i>Bags</i> ; girdles on stones, fine sediment (grey)	Johan Ingri
146	1979 STN 36-45	1979 STN 41	21°41	64°20	Bothnian Bay	60	<i>Tube</i> ; fine sediment (brown) <i>Jars</i> ; nodules <i>Bags</i> ; nodules, fine sediment (grey)	Johan Ingri
147	1979 STN 36-45	1979 STN 42	22°04	64°135	Bothnian Bay	106-120	<i>Tube</i> ; fine sediment (brownish) <i>Jar</i> ; nodules. <i>Bags</i> ; nodules (few) in fine sediment, stone with girdle	Johan Ingri
148	1979 STN 36-45	1979 STN 43	22°08	64°10	Bothnian Bay	98	<i>Tube</i> ; fine sediment (brownish) <i>Bag</i> ; stone-fine gravel	Johan Ingri
149	1979 STN 36-45	1979 STN 44	22°13	64°00	Bothnian Bay	58-68	<i>Tube</i> ; fine sediment (brownish) <i>Jar</i> ; nodules. <i>Bags</i> ; nodules, crust, girdles on stones, gravel-coarse sand, till	Johan Ingri
150	1979 STN 36-45	1979 STN 45	22°055	65°53	Bothnian Bay	48-56	<i>Tube</i> ; fine sediment to sand <i>Bags</i> ; crust, girdles on cobbles, coatings on stones	Johan Ingri

Row no	Year - box	Sample	Longitude (E)	Latitude (N)	Area	Water depth, m	Notes / Sample type	Collector
151	1979 STN 46-57	1979 STN 46	21°27	63°47	Bothnian Bay	64	<i>Tube</i> ; fine sediment (brownish) <i>Jar</i> ; nodules. <i>Bags</i> ; nodules in crust, crust, fine gravel, fine sediment (grey)	Johan Ingri
152	1979 STN 46-57	1979 STN 49	18°345	62°50	Bothnian Sea	100	<i>Tube</i> ; fine sediment to sand <i>Bags</i> ; crust, fine sediment (grey)	Johan Ingri
153	1979 STN 46-57	1979 STN 50	18°405	62°495	Bothnian Sea	100	<i>Tube</i> ; fine sediment (in places brown) <i>Bag</i> ; thin crust on fine sediment (grey)	Johan Ingri
154	1979 STN 46-57	1979 STN 51	18°485	62°475	Bothnian Sea	160	<i>Tube</i> ; fine sediment (grey)	Johan Ingri
155	1979 STN 46-57	1979 STN 53	18°49	62°465	Bothnian Sea	200	<i>Tubes</i> ; fine sediment (in places brown)	Johan Ingri
156	1979 STN 46-57	1979 STN 54	19°05	62°465	Bothnian Sea	190	<i>Tube</i> ; fine sediment (in places brown)	Johan Ingri
157	1979 STN 46-57	1979 STN 55	19°105	62°45	Bothnian Sea	170	missing sample (fine sediment (grey))	Johan Ingri
158	1979 STN 46-57	1979 STN 56	19°20	62°425	Bothnian Sea	165	<i>Tube</i> ; fine sediment (in places brown)	Johan Ingri
159	1979 STN 46-57	1979 STN 57	19°355	62°41	Bothnian Sea	120	<i>Jars</i> ; nodules. <i>Bags</i> ; nodules (diff. size), nodules in fine sediment, crust, coatings on stones, fine sediment with gravel	Johan Ingri
160	1979 STN 58-61	1979 STN 58	19°435	62°42	Bothnian Sea	115	<i>Bottles</i> ; fine sediment with water (black) <i>Bags</i> ; nodules	Johan Ingri

Row no	Year - box	Sample	Longitude (E)	Latitude (N)	Area	Water depth, m	Notes / Sample type	Collector
161	1979 STN 58-61	1979 STN 59	19°30	62°395	Bothnian Sea	140	<i>Bags</i> ; crust, girdles on stones, gravel, fine sediment (grey)	Johan Ingri
162	1979 STN 58-61	1979 STN 60	19°165	62°345	Bothnian Sea	120	<i>Bags</i> ; crust, girdle on cobble, coating on stone, gravel, fine sediment (grey)	Johan Ingri
163	1979 STN 58-61	1979 STN 61	19°06	62°30	Bothnian Sea	100	<i>Tube</i> ; sand to fine sediment (brownish) <i>Bags</i> ; crust, crust and gravel, coatings on cobbles and stones, stones, gravel	Johan Ingri
164	1979 STN 62-65	1979 STN 62	18°53	62°28	Bothnian Sea	108	<i>Bags</i> ; irregular nodules - crust, fine sediment (grey)	Johan Ingri
165	1979 STN 62-65	1979 STN 63	18°385	62°255	Bothnian Sea	72	<i>Bags</i> ; irregular nodules - crust, coatings on cobble, fine sediment-sand-coarse sand	Johan Ingri
166	1979 STN 62-65	1979 STN 64	18°50	62°23	Bothnian Sea	104	<i>Bag</i> ; fine sediment (clay)	Johan Ingri
167	1979 STN 62-65	1979 STN 65	19°07	62°205	Bothnian Sea	90	<i>Bags</i> ; irregular nodules - crust, gravel, sand, fine sediment (grey)	Johan Ingri
168	1979 STN 66-70	1979 STN 66	19°175	62°17	Bothnian Sea	90	<i>Bags</i> ; nodules (small), nodules in fine sediment, fine sediment (grey)	Johan Ingri
169	1979 STN 66-70	1979 STN 67	19°28	62°14	Bothnian Sea	75	<i>Bags</i> ; irregular nodules - crust, fine sediment (in places black)	Johan Ingri
170	1979 STN 66-70	1979 STN 68	19°44	62°08	Bothnian Sea	110	<i>Jars</i> ; nodules (small) <i>Bags</i> ; nodules (small), nodules in fine sediment, fine sediment (grey)	Johan Ingri

Row no	Year - box	Sample	Longitude (E)	Latitude (N)	Area	Water depth, m	Notes / Sample type	Collector
171	1979 STN 66-70	1979 STN 69	19°45	61°595	Bothnian Sea	80	<i>Bags</i> ; nodules (small), crust, nodules in fine sediment, fine sediment (grey)	Johan Ingri
172	1979 STN 66-70	1979 STN 70	19°26	61°545	Bothnian Sea	55	<i>Bags</i> ; irregular nodules - crust, coatings on cobbles and stones, gravel-fine sediment (grey)	Johan Ingri
173	1979 STN 71-77	1979 STN 71	19°38	61°50	Bothnian Sea	70	<i>Bags</i> ; irregular nodules - crust, gravel to coarse sand, fine sediment (grey)	Johan Ingri
174	1979 STN 71-77	1979 STN 72	19°42	61°445	Bothnian Sea	80	<i>Bags</i> ; irregular nodules - crust, fine sediment (grey)	Johan Ingri
175	1979 STN 71-77	1979 STN 73	19°45	61°37	Bothnian Sea	90	<i>Bags</i> ; irregular nodules - crust, fine sediment (grey)	Johan Ingri
176	1979 STN 71-77	1979 STN 74	19°58	61°36	Bothnian Sea	116	<i>Jar</i> ; nodules (small) <i>Bags</i> ; nodules (small), fine sediment (grey)	Johan Ingri
177	1979 STN 71-77	1979 STN 75	20°005	61°34	Bothnian Sea	122	<i>Bag</i> ; fine sediment (brownish)	Johan Ingri
178	1979 STN 71-77	1979 STN 76	19°485	61°275	Bothnian Sea	92	<i>Bags</i> ; irregular nodules - crust, fine sediment (grey)	Johan Ingri
179	1979 STN 71-77	1979 STN 77	20°035	61°13	Bothnian Sea	110	<i>Bags</i> ; stones-fine sediment, fine sediment (clay)	Johan Ingri
180	1979 STN 78-90	1979 STN 78	19°32	61°12	Bothnian Sea	78	<i>Bag</i> ; fine sediment (clay)	Johan Ingri

Row no	Year - box	Sample	Longitude (E)	Latitude (N)	Area	Water depth, m	Notes / Sample type	Collector
181	1979 STN 78-90	1979 STN 79	18°52	61°125	Bothnian Sea	60	<i>Bags</i> ; crust, gravel to fine sediment	Johan Ingri
182	1979 STN 78-90	1979 STN 80	18°07	61°12	Bothnian Sea	80	<i>Bag</i> ; fine sediment (clay, brown in places)	Johan Ingri
183	1979 STN 78-90	1979 STN 83	18°47	60°375	Bothnian Sea	128	<i>Bag</i> ; irregular nodules - crust, fine sediment	Johan Ingri
184	1979 STN 78-90	1979 STN 84	18°37	60°33	Bothnian Sea	18	<i>Bag</i> ; fine sediment with gravel	Johan Ingri
185	1979 STN 78-90	1979 STN 86	19°03	60°062	Bothnian Sea	185-190	<i>Bags</i> ; girdle on stone, gravel-sand, fine sediment (grey)	Johan Ingri
186	1979 STN 78-90	1979 STN 87	18°595	60°045	Bothnian Sea	120	<i>Bags</i> ; nodules in gravel, fine sediment (grey)	Johan Ingri
187	1979 STN 78-90	1979 STN 88	19°309	59°469	Baltic Sea	50-56	<i>Bags</i> ; crust, coating on stones, sand-gravel	Johan Ingri
188	1979 STN 78-90	1979 STN 89	19°425	59°491	Baltic Sea	60-68	<i>Bags</i> ; nodules (large, spherical), irregular nodules - crust, girdle on cobble, fine sediment to sand	Johan Ingri
189	1979 STN 78-90	1979 STN 90	19°125	59°126	Baltic Sea	60	<i>Bags</i> ; crust, girdle on cobble, coatings on stones, sand-gravel, fine sed. (grey. black)	Johan Ingri
190	1979 STN 91-106	1979 STN 91	19°157	59°08	Baltic Sea	67-72	<i>Bags</i> ; coatings on cobbles and stones, fine sed. with gravel, fine sediment (grey)	Johan Ingri

Row no	Year - box	Sample	Longitude (E)	Latitude (N)	Area	Water depth, m	Notes / Sample type	Collector
191	1979 STN 91-106	1979 STN 92	19°127	59°025	Baltic Sea	90-120	<i>Bags</i> ; stones-gravel, fine sediment (grey)	Johan Ingri
192	1979 STN 91-106	1979 STN 93	19°004	58°495	Baltic Sea	116	<i>Bags</i> ; stones to fine sediment, gravel-sand	Johan Ingri
193	1979 STN 91-106	1979 STN 94	18°434	58°397	Baltic Sea	216-248	<i>Bags</i> ; fine sediment (in places black)	Johan Ingri
194	1979 STN 91-106	1979 STN 95	18°138	58°35	Baltic Sea E of Landsorts- djupet	250-350	<i>Bag</i> ; fine sediment (in places black)	Johan Ingri
195	1979 STN 91-106	1979 STN 98	18°28	58°13	Baltic Sea	40	<i>Bags</i> ; stones (some with coatings)- gravel-sand	Johan Ingri
196	1979 STN 91-106	1979 STN 101	18°25	57°59	Baltic Sea	80-90	<i>Tube</i> ; fine sediment. <i>Bags</i> ; stones (some with coatings)-gravel- fine sediment (grey)	Johan Ingri
197	1979 STN 91-106	1979 STN 103	17°28	57°59	Baltic Sea	100	<i>Tube</i> ; fine sediment (grey)	Johan Ingri
198	1979 STN 91-106	1979 STN 104	17°00	57°54	Baltic Sea	50	<i>Bags</i> ; stones (some with a thin coating)- gravel-fine sediment (black in places)	Johan Ingri
199	1979 STN 91-106	1979 STN 105	16°56	57°52	Baltic Sea	40-45	<i>Bags</i> ; stones (some with a thin coating)- gravel, little fine sediment	Johan Ingri
200	1979 STN 91-106	1979 STN 106	16°51	57°32	Baltic Sea	68	<i>Bags</i> ; stones-gravel-coarse sand-fine sediment	Johan Ingri

Row no	Year - box	Sample	Longitude (E)	Latitude (N)	Area	Water depth, m	Notes / Sample type	Collector
201	1979 STN108-123	1979 STN 108	17°125	57°31	Baltic Sea	80-90	<i>Bags</i> ; stones-gravel-fine sediment	Johan Ingri
202	1979 STN108-123	1979 STN 110	17°20	57°25	Baltic Sea	40-50	<i>Bags</i> ; stones-gravel (coatings on some), sand, sandy fine sediment	Johan Ingri
203	1979 STN108-123	1979 STN 111	17°14	57°16	Baltic Sea	40	<i>Bags</i> ; irregular nodules in gravel, gravel-sand, fine sediment (grey)	Johan Ingri
204	1979 STN108-123	1979 STN 112	17°24	57°11	Baltic Sea	50-60	<i>Tubes</i> ; fine sediment (grey) <i>Bag</i> ; little gravel	Johan Ingri
205	1979 STN108-123	1979 STN 115	17°58	56°56	Baltic Sea	56	<i>Tube</i> ; fine sed. <i>Bags</i> ; crust in fine sed., stones, gravel, fine sed. (in places brown)	Johan Ingri
206	1979 STN108-123	1979 STN 116	18°02	56°578	Baltic Sea	32	<i>Bag</i> ; coarse sand-sand	Johan Ingri
207	1979 STN108-123	1979 STN 118	17°38	56°40	Baltic Sea	64-70	<i>Tube</i> ; fine sed. <i>Bags</i> ; fine sed. with brown surface, gravel (a few with coatings)	Johan Ingri
208	1979 STN108-123	1979 STN 119	17°38	56°318	Baltic Sea	54-55	<i>Tube</i> ; fine sed. with gravel. <i>Bags</i> ; coatings on sand-gravel, fine sed. (grey)	Johan Ingri
209	1979 STN108-123	1979 STN 120	17°36	56°26	Baltic Sea	42-44	<i>Tube</i> ; fine sediment with gravel-sand <i>Bags</i> ; coatings on stones, gravel-sand	Johan Ingri
210	1979 STN108-123	1979 STN 121	17°32	56°218	Baltic Sea	~30	<i>Bags</i> ; stones, gravel-sand	Johan Ingri

Row no	Year - box	Sample	Longitude (E)	Latitude (N)	Area	Water depth, m	Notes / Sample type	Collector
211	1979 STN108-123	1979 STN 122	17°24	56°225	Baltic Sea	42-44	<i>Bags</i> ; gravel, gravel in fine sediment (grey)	Johan Ingri
212	1979 STN108-123	1979 STN 123	17°09	56°24	Baltic Sea	45	<i>Bags</i> ; stone with thin coating, gravel-sand	Johan Ingri
213	1979 STN125-135 +Kullenberg	1979 STN 125	16°42	56°26	Baltic Sea	48-50	<i>Bags</i> ; crust, stones with girdles, coatings on stones, gravel, sand, fine sed. (grey)	Johan Ingri
214	1979 STN125-135 +Kullenberg	1979 STN 126	16°41	56°24	Baltic Sea	~22	<i>Bags</i> ; coatings on cobble, coarse sand to gravel	Johan Ingri
215	1979 STN125-135 +Kullenberg	1979 STN 127	18°38	56°21	Baltic Sea	20	<i>Bags</i> ; thin coatings on stones	Johan Ingri
216	1979 STN125-135 +Kullenberg	1979 STN 128	16°40	56°188	Baltic Sea	46-54	<i>Bags</i> ; girdles on stones, gravel-sand	Johan Ingri
217	1979 STN125-135 +Kullenberg	1979 STN 129	16°44	56°10	Baltic Sea	44	<i>Bags</i> ; thin coatings on cobbles and stones, coarse sand to sand	Johan Ingri
218	1979 STN125-135 +Kullenberg	1979 STN 130	16°34	56°08	Baltic Sea	52	<i>Bags</i> ; thin coatings on cobbles and stones, gravel, fine sediment with gravel	Johan Ingri
219	1979 STN125-135 +Kullenberg	1979 STN 131	16°25	56°04	Baltic Sea	44	<i>Tube</i> ; sand-fine sediment <i>Bags</i> ; gravel, sand-fine sediment	Johan Ingri
220	1979 STN125-135 +Kullenberg	1979 STN 132	16°13	56°10	Baltic Sea	34	<i>Bag</i> ; irregular nodule or crust fragment	Johan Ingri

Row no	Year - box	Sample	Longitude (E)	Latitude (N)	Area	Water depth, m	Notes / Sample type	Collector
221	1979 STN125-135 +Kullenberg	1979 STN 135A	16°20	56°36	Baltic Sea	17	<i>Bag</i> ; sandy fine sediment	Johan Ingri
222	1979 STN125-135 +Kullenberg	Kullenberg					note on bags "Kullenberg-Skarvar" missing data on position and depth <i>Bags</i> ; fine sediment (grey)	Johan Ingri
223	1980 STN 2-14	1980 STN 2	22°57	65°21	Bothnian Bay	66	<i>Bag</i> ; fine sediment (in places, often as spots, brown)	Johan Ingri
224	1980 STN 2-14	1980 STN 3	23°13	65°19	Bothnian Bay	68	<i>Bag</i> ; fine sediment (brown)	Johan Ingri
225	1980 STN 2-14	1980 STN 4	23°09	65°108	Bothnian Bay	85-96	<i>Jar</i> ; nodule <i>Bags</i> ; few crust fragment, gravel, fine sediment (brown)	Johan Ingri
226	1980 STN 2-14	1980 STN 7	22°29	65°035	Bothnian Bay	35	<i>Jars</i> ; nodules. <i>Bottles</i> ; fine sediment (grey and brown). <i>Bags</i> ; nodules, girdle on stone, fine sediment	Johan Ingri
227	1980 STN 2-14	1980 STN 8	22°29	65°128	Bothnian Bay	~30-35	<i>Bags</i> ; fine sediment	Johan Ingri
228	1980 STN 2-14	1980 STN 9	22°29	65°022	Bothnian Bay	37	<i>Bags</i> ; nodules, fine sediment	Johan Ingri
229	1980 STN 2-14	1980 STN 11	22°29	65°01	Bothnian Bay	45	<i>Jars</i> ; fine sediment (grey) <i>Bag</i> ; fine sediment	Johan Ingri
230	1980 STN 2-14	1980 STN 12	22°29	65°00	Bothnian Bay	53	<i>Jars</i> ; nodules, fine sediment (brown, grey) <i>Bags</i> ; nodules (diff. size), girdle on stone, stone-gravel, fine sediment	Johan Ingri

Row no	Year - box	Sample	Longitude (E)	Latitude (N)	Area	Water depth, m	Notes / Sample type	Collector
231	1980 STN 2-14	1980 STN 13	22°29	65°00	Bothnian Bay	58	<i>Jar</i> ; fine sediment (brown) <i>Bottles</i> ; fine sediment (brown) <i>Bags</i> ; fine sediment (brown)	Johan Ingri
232	1980 STN 2-14	1980 STN 14	22°34	64°585	Bothnian Bay	38-46	<i>Bag</i> ; fine sediment with gravel and sand	Johan Ingri
233	1980 STN 15-25	1980 STN 15	22°445	64°55	Bothnian Bay	73	<i>Jars</i> ; nodules <i>Bags</i> ; nodules, crust, fine sediment grey and brown)	Johan Ingri
234	1980 STN 15-25	1980 STN 16	23°00	64°445	Bothnian Bay	73	<i>Jars</i> ; nodules. <i>Bottles</i> ; fine sediment (grey and black). <i>Bags</i> ; nodules, fine sediment with nodules, fine sediment (grey, brown)	Johan Ingri
235	1980 STN 15-25	1980 STN 17	22°575	64°44	Bothnian Bay	79	<i>Jar</i> ; fine sediment (brown). <i>Bottles</i> ; fine sediment (brown). <i>Bags</i> ; sand with micronodules, fine sediment (brown)	Johan Ingri
236	1980 STN 15-25	1980 STN 18	22°565	64°435	Bothnian Bay	83	<i>Jars</i> ; fine sediment (brown, grey) <i>Bags</i> ; small nodules (brown and black) in sand, fine sediment (brown)	Johan Ingri
237	1980 STN 15-25	1980 STN 19	22°55	64°432	Bothnian Bay	65	<i>Jar</i> , spherical nodule <i>Bags</i> ; crust, girdle on stone, gravel-sand- fine sediment (grey)	Johan Ingri
238	1980 STN 15-25	1980 STN 20	22°535	64°425	Bothnian Bay	71	<i>Bags</i> ; girdles on stones, gravel-sand	Johan Ingri
239	1980 STN 15-25	1980 STN 21	22°515	64°42	Bothnian Bay	70	<i>Jar</i> , nodules. <i>Bags</i> ; nodules (flat and round), crust, fine gravel to sand, fine sediment with sand	Johan Ingri
240	1980 STN 15-25	1980 STN 25	22°085	64°20	Bothnian Bay	98	<i>Jars</i> ; nodules <i>Bottles</i> ; crust, fine sediment (brownish) <i>Bags</i> ; nodules, fine sediment	Johan Ingri

Row no	Year - box	Sample	Longitude (E)	Latitude (N)	Area	Water depth, m	Notes / Sample type	Collector
241	1980 STN 26-46	1980 STN 26	22°025	64°20	Bothnian Bay	114	<i>Jars</i> ; fine sediment. <i>Bottles</i> ; fine sediment (with hard crust). <i>Bags</i> ; nodules (small), fine sediment with nodules, fine sediment	Johan Ingri
242	1980 STN 26-46	1980 STN 27	21°58	64°20	Bothnian Bay	104	<i>Jar</i> , fine sediment (grey) <i>Bags</i> ; fine sediment (grey)	Johan Ingri
243	1980 STN 26-46	1980 STN 28	21°52	64°20	Bothnian Bay	100	<i>Jar</i> , fine sediment (grey) <i>Bags</i> ; micronodules, fine sediment (grey)	Johan Ingri
244	1980 STN 26-46	1980 STN 29	21°46	64°20	Bothnian Bay	76	<i>Jars</i> ; nodules, fine sediment (brown, grey) <i>Bags</i> ; nodules, fine sediment (grey)	Johan Ingri
245	1980 STN 26-46	1980 STN 30	21°41	64°20	Bothnian Bay	66	<i>Jars</i> ; nodules, fine sediment (brown) <i>Bags</i> ; nodules, fine sediment (brown)	Johan Ingri
246	1980 STN 26-46	1980 STN 37	19°43	62°42	Bothnian Sea	110	<i>Jars</i> ; micronodules, fine sediment (grey) <i>Bottles</i> ; fine sediment (grey) <i>Bags</i> ; micronodules, fine sediment (grey)	Johan Ingri
247	1980 STN 26-46	1980 STN 38	19°39	62°41	Bothnian Sea	124	<i>Jars</i> ; micronodules <i>Bottles</i> ; fine sediment (grey) <i>Bags</i> ; fine sediment (grey)	Johan Ingri
248	1980 STN 26-46	1980 STN 39	19°35	62°41	Bothnian Sea	110	<i>Bags</i> ; crust, fine sediment (grey)	Johan Ingri
249	1980 STN 26-46	1980 STN 40	19°315	62°40	Bothnian Sea	116	<i>Jar</i> , fine sediment (grey) <i>Bags</i> ; crust, fine sediment (grey)	Johan Ingri
250	1980 STN 26-46	1980 STN 42	18°42	62°368	Bothnian Sea	100	<i>Bags</i> ; crust, fine sediment (grey)	Johan Ingri

Row no	Year - box	Sample	Longitude (E)	Latitude (N)	Area	Water depth, m	Notes / Sample type	Collector
251	1980 STN 26-46	1980 STN 44	18°385	62°255	Bothnian Sea	78	<i>Jar</i> ; micronodules, crust <i>Bottles</i> ; fine sediment <i>Bags</i> ; nodules, crust, fine sediment (grey)	Johan Ingri
252	1980 STN 26-46	1980 STN 45	18°42	62°26	Bothnian Sea	88	<i>Jars</i> ; crust <i>Bottles</i> ; fine sediment (grey) <i>Bags</i> ; crust, fine sediment (grey)	Johan Ingri
253	1980 STN 26-46	1980 STN 46	18°45	62°265	Bothnian Sea	106	<i>Jar</i> ; fine sediment (grey) <i>Bottles</i> ; fine sediment (grey) <i>Bags</i> ; fine sediment (grey)	Johan Ingri
254	1980 STN BH 5-25	1980 BH 5	21°186	74°0009	Barents Sea SE of Svalbard	265	<i>Bags</i> ; crust, fine sediment (grey)	Johan Ingri
255	1980 STN BH 5-25	1980 BH 10	25°2878	75°5439	Barents Sea SE of Svalbard	110	<i>Bags</i> ; crust, stones (some with thin coatings), gravel, fine sediment (grey)	Johan Ingri
256	1980 STN BH 5-25	1980 BH 11	26°558	75°396	Barents Sea SE of Svalbard	175	<i>Bags</i> ; crust, coatings on gravel	Johan Ingri
257	1980 STN BH 5-25	1980 BH 12	28°2851	75°2805	Barents Sea SE of Svalbard	275	<i>Bags</i> ; coatings on stones, gravel-sand, fine sediment (brown)	Johan Ingri
258	1980 STN BH 5-25	1980 BH 16	33°1464	76°5896	Barents Sea SE of Svalbard	155	<i>Bags</i> ; crust and coatings on stones, stones and gravel, fine sediment (brown, grey)	Johan Ingri
259	1980 STN BH 5-25	1980 BH 19	33°2718	78°0028	Barents Sea E of Svalbard	175	<i>Bags</i> ; crust, coatings on stones	Johan Ingri
260	1980 STN BH 5-25	1980 BH 21	25°5465	78°2533	Barents Sea E of Svalbard	220	<i>Bags</i> ; coating on stone, fine sediment (brown, grey)	Johan Ingri

Row no	Year - box	Sample	Longitude (E)	Latitude (N)	Area	Water depth, m	Notes / Sample type	Collector
261	1980 STN BH 5-25	1980 BH 23	23°1659	78°5833	Barents Sea	120	<i>Bags</i> ; stones-gravel, fine sediment (red-brown)	Johan Ingri
262	1980 STN BH 5-25	1980 BH 24	26°0603	79°1167	Barents Sea	235	<i>Bags</i> ; coating on stones, fine sediment (brown, grey)	Johan Ingri
263	1980 STN BH 5-25	1980 BH 25	29°0467	79°1444	Barents Sea	180	<i>Bags</i> ; fine sediment (brown, grey)	Johan Ingri
264	1980 STN BH 26, 27 + Ymer 80	1980 BH 26	29°1772	79°4458	Barents Sea E of Svalbard	240	<i>Bags</i> ; crust, girdles and crust on stones, cobbles and sediment, fine sedim. (grey)	Johan Ingri
265	1980 STN BH 26, 27 + Ymer 80	1980 BH 27	30°1445	79°5805	Barents Sea E of Svalbard	235	<i>Bags</i> ; crust, girdles on stones, fine sediment (brown, grey)	Johan Ingri
266	1980 STN BH 26, 27 + Ymer 80	Ymer 80 MG151 STN PC 110	18°41	82°30	Arctic Basin	3250	parts of sample missing (kept by Johan Ingri?) <i>Bag</i> ; girdle on stone	Johan Ingri
267	1981 STN 00-19	1981 STN 00	22°28	65°43	Brändöfjärden Luleå Bothnian Bay	30	<i>Bag</i> ; crust-coatings on sediment	Johan Ingri
268	1981 STN 00-19	1981 STN 1	17°33	60°45	Bothnian Sea	~40-50	approx. water depth from map <i>Jar</i> ; nodules. <i>Bags</i> ; sandy clay with micronodules, gravel	Johan Ingri
269	1981 STN 00-19	1981 STN 2	17°58	60°50	Bothnian Sea	44	<i>Bags</i> ; fine sediment (grey)	Johan Ingri
270	1981 STN 00-19	1981 STN 3	18°155	60°535	Bothnian Sea	48	<i>Bag</i> ; sandy fine sediment with gravel	Johan Ingri

Row no	Year - box	Sample	Longitude (E)	Latitude (N)	Area	Water depth, m	Notes / Sample type	Collector
271	1981 STN 00-19	1981 STN 4	18°40	60°505	Bothnian Sea	66	<i>Bags</i> ; crust, fine sediment (grey)	Johan Ingri
272	1981 STN 00-19	1981 STN 5	18°51	60°47	Bothnian Sea	65	<i>Bags</i> ; crust, sandy fine sediment	Johan Ingri
273	1981 STN 00-19	1981 STN 6	19°02	60°436	Bothnian Sea	100	<i>Bag</i> ; sandy fine sediment	Johan Ingri
274	1981 STN 00-19	1981 STN 7	19°195	60°406	Bothnian Sea	70	<i>Bag</i> ; sandy fine sediment	Johan Ingri
275	1981 STN 00-19	1981 STN 8	19°57	61°05	Bothnian Sea	110	<i>Bags</i> ; crust, fine sediment (grey)	Johan Ingri
276	1981 STN 00-19	1981 STN 10	19°16	61°03	Bothnian Sea	105	<i>Bag</i> ; fine sediment (grey)	Johan Ingri
277	1981 STN 00-19	1981 STN 11	18°52	61°055	Bothnian Sea	60	<i>Bags</i> ; one crust-fragment, gravel, coarse-to fine sand in fine sediment (grey)	Johan Ingri
278	1981 STN 00-19	1981 STN 12	18°25	61°05	Bothnian Sea	39	missing sample	Johan Ingri
279	1981 STN 00-19	1981 STN 13	18°015	61°19	Bothnian Sea	~60	<i>Bags</i> ; crust, fine sediment (grey)	Johan Ingri
280	1981 STN 00-19	1981 STN 14	17°515	61°265	Bothnian Sea	~65	<i>Bags</i> ; crust	Johan Ingri

Row no	Year - box	Sample	Longitude (E)	Latitude (N)	Area	Water depth, m	Notes / Sample type	Collector
281	1981 STN 00-19	1981 STN 15	18°125	61°315	Bothnian Sea	58-72	<i>Bags</i> ; crust, fine sediment (grey)	Johan Ingri
282	1981 STN 00-19	1981 STN 16	18°335	61°34	Bothnian Sea	60	<i>Bag</i> ; sandy fine sediment (grey)	Johan Ingri
283	1981 STN 00-19	1981 STN 18	18°475	61°31	Bothnian Sea	48	<i>Bag</i> ; sandy fine sediment (grey)	Johan Ingri
284	1981 STN 00-19	1981 STN 19	18°44	61°225	Bothnian Sea	54	<i>Jars</i> ; nodules, crust, sand <i>Bags</i> ; crust, gravel, sand, fine sediment (grey)	Johan Ingri
285	1981 STN 22-38	1981 STN 22	19°215	62°005	Bothnian Sea	63	<i>Bags</i> ; crust	Johan Ingri
286	1981 STN 22-38	1981 STN 23	19°10	62°115	Bothnian Sea	~80	<i>Bags</i> ; crust	Johan Ingri
287	1981 STN 22-38	1981 STN 25	18°36	62°58	Bothnian Sea	80-90	<i>Bags</i> ; fine sediment (grey)	Johan Ingri
288	1981 STN 22-38	1981 STN 26	18°345	63°005	Bothnian Sea	100	<i>Bags</i> ; fine sediment (in places brownish)	Johan Ingri
289	1981 STN 22-38	1981 STN 29	19°465	63°035	Bothnian Sea	100-110	<i>Bags</i> ; crust, girdles on stones, stones to fine sediment, fine sediment (grey)	Johan Ingri
290	1981 STN 22-38	1981 STN 30B	19°52	63°105	Bothnian Sea	100	<i>Jar</i> , crust. <i>Bags</i> ; crust, coating and girdle on cobble, coatings on sand, coarse sand, sandy fine sediment with gravel	Johan Ingri

Row no	Year - box	Sample	Longitude (E)	Latitude (N)	Area	Water depth, m	Notes / Sample type	Collector
291	1981 STN 22-38	1981 STN 31	19°525	63°175	Bothnian Sea	75-85	<i>Bags</i> ; crust, sandy fine sediment with gravel	Johan Ingri
292	1981 STN 22-38	1981 STN 32	20°03	63°22	North Kvarken	46	<i>Bags</i> ; thin crust, sandy fine sediment with gravel	Johan Ingri
293	1981 STN 22-38	1981 STN 33	20°33	63°275	North Kvarken	35	<i>Jar</i> , thin crust <i>Bags</i> ; sand (rather coarse)	Johan Ingri
294	1981 STN 22-38	1981 STN 34	20°57	63°34	North Kvarken	32	<i>Bag</i> ; sand	Johan Ingri
295	1981 STN 22-38	1981 STN 37	21°21	63°465	North Kvarken	57	<i>Bags</i> ; nodules-crust, fine sediment (grey)	Johan Ingri
296	1981 STN 22-38	1981 STN 38	21°215	63°54	North Kvarken	53	<i>Bags</i> ; crust (large pieces), sandy fine sediment (grey)	Johan Ingri
297	1981 STN 39-50	1981 STN 39	21°24	64°035	Bothnian Bay	90	<i>Jars</i> ; nodules (diff. size) <i>Bags</i> ; nodules, fine sediment (grey)	Johan Ingri
298	1981 STN 39-50	1981 STN 40	21°38	64°135	Bothnian Bay	72-78	<i>Jar</i> , nodule <i>Bags</i> ; nodules, crust, sandy fine sediment (grey)	Johan Ingri
299	1981 STN 39-50	1981 STN 41	22°10	64°195	Bothnian Bay	110	<i>Bags</i> ; fine sediment (grey)	Johan Ingri
300	1981 STN 39-50	1981 STN 42	21°365	64°17	Bothnian Bay	~60	<i>Bags</i> ; fine sediment (grey)	Johan Ingri

Row no	Year - box	Sample	Longitude (E)	Latitude (N)	Area	Water depth, m	Notes / Sample type	Collector
301	1981 STN 39-50	1981 STN 43	21°525	64°23	Bothnian Bay	85	<i>Jars</i> ; nodules <i>Bags</i> ; nodules (many), sandy fine sediment	Johan Ingri
302	1981 STN 39-50	1981 STN 44	21°52	64°285	Bothnian Bay	90	<i>Jars</i> ; nodules <i>Bags</i> ; large flat concretion, nodules and coatings in gravel, fine sediment (grey)	Johan Ingri
303	1981 STN 39-50	1981 STN 45	21°39	64°315	Bothnian Bay	35	<i>Jars</i> ; nodules <i>Bags</i> ; crust and girdles on gravels, fine sediment (grey)	Johan Ingri
304	1981 STN 39-50	1981 STN 46	21°575	64°35	Bothnian Bay	105	sample taken 910115 (Johan Ingri) (nodule, crust, fine sediment)	Johan Ingri
305	1981 STN 39-50	1981 STN 47	21°19	64°405	Bothnian Bay	43	<i>Jars</i> ; nodules <i>Bags</i> ; sandy fine sediment	Johan Ingri
306	1981 STN 39-50	1981 STN 48	21°33	64°445	Bothnian Bay	70	<i>Jar</i> , thin crust <i>Bags</i> ; thin crust (flakes), sandy fine sediment	Johan Ingri
307	1981 STN 39-50	1981 STN 49	21°455	64°475	Bothnian Bay	75	<i>Jar</i> , nodule <i>Bags</i> ; nodule, crust, coatings on sediment, fine sediment (grey)	Johan Ingri
308	1981 STN 39-50	1981 STN 50	21°38	64°535	Bothnian Bay	80	<i>Jars</i> ; nodules <i>Bags</i> ; nodules (many)	Johan Ingri
309	1981 STN 51-59	1981 STN 51	21°35	64°575	Bothnian Bay	70	<i>Bags</i> ; nodules (round or flat), girdles on stones, concretions with stones, gravel, sand, fine sediment (grey)	Johan Ingri
310	1981 STN 51-59	1981 STN 52	22°24	64°52	Bothnian Bay	99	<i>Bags</i> ; fine sediment (grey)	Johan Ingri

Row no	Year - box	Sample	Longitude (E)	Latitude (N)	Area	Water depth, m	Notes / Sample type	Collector
311	1981 STN 51-59	1981 STN 53	22°455	64°425	Bothnian Bay	85	sample taken 910115 (Johan Ingri) (fine sediment)	Johan Ingri
312	1981 STN 51-59	1981 STN 54	23°035	64°475	Bothnian Bay	83	sample taken 910115 (Johan Ingri) (nodule, fine sediment)	Johan Ingri
313	1981 STN 51-59	1981 STN 55	22°37	64°55	Bothnian Bay	80	<i>Jars</i> ; nodules <i>Bags</i> ; nodules, girdle on stone, sandy fine sediment, fine sediment (grey)	Johan Ingri
314	1981 STN 51-59	1981 STN 56	22°26	65°01	Bothnian Bay	50	<i>Jars</i> ; nodules <i>Bags</i> ; nodules (many), gravel-sand-fine sediment, fine sediment (grey)	Johan Ingri
315	1981 STN 51-59	1981 STN 57	22°17	65°09	Bothnian Bay	30-35	<i>Jars</i> ; nodules <i>Bags</i> ; nodules, fine sediment (grey)	Johan Ingri
316	1981 STN 51-59	1981 STN 58	22°16	65°17	Bothnian Bay	35	<i>Bags</i> ; sandy fine sediment	Johan Ingri
317	1981 STN 51-59	1981 STN 59	22°13	65°28	Bothnian Bay	23	<i>Bags</i> ; partly sandy fine sediment	Johan Ingri
318	1982 STN 9-24	1982 STN 9	18°48	60°44	Bothnian Sea	60	<i>Jar</i> , sandy fine sediment <i>Bags</i> ; crust, sandy fine sediment	Johan Ingri
319	1982 STN 9-24	1982 STN 10	19°20	61°02	Bothnian Sea	116	<i>Bags</i> ; micronodules, fine sediment (brown and grey)	Johan Ingri
320	1982 STN 9-24	1982 STN 11	19°14	61°05	Bothnian Sea	84	<i>Bags</i> ; stones, fine sediment (grey)	Johan Ingri

Row no	Year - box	Sample	Longitude (E)	Latitude (N)	Area	Water depth, m	Notes / Sample type	Collector
321	1982 STN 9-24	1982 STN 12	18°04	61°155	Bothnian Sea	86	<i>Bags</i> ; fine sediment (black, brown, grey)	Johan Ingri
322	1982 STN 9-24	1982 STN 13	17°52	61°28	Bothnian Sea	64	<i>Jar</i> , micronodules <i>Bags</i> ; micronodules, fine sediment (grey)	Johan Ingri
323	1982 STN 9-24	1982 STN 14	17°47	61°495	Bothnian Sea	62	<i>Bags</i> ; crust, fine sediment (grey)	Johan Ingri
324	1982 STN 9-24	1982 STN 15	17°52	62°00	Bothnian Sea	77	<i>Bags</i> ; nodules (irregular small), nodules in fine sediment, fine sediment (grey)	Johan Ingri
325	1982 STN 9-24	1982 STN 16	18°12	61°595	Bothnian Sea	88	<i>Bags</i> ; fine sediment (grey)	Johan Ingri
326	1982 STN 9-24	1982 STN 17	18°26	62°005	Bothnian Sea	86	<i>Bags</i> ; fine sediment (black, grey)	Johan Ingri
327	1982 STN 9-24	1982 STN 18	18°44	62°06	Bothnian Sea	82	<i>Bags</i> ; crust, fine sediment (grey)	Johan Ingri
328	1982 STN 9-24	1982 STN 19	19°17	62°17	Bothnian Sea	92	<i>Bags</i> ; nodules (small and micro-), fine sediment (grey)	Johan Ingri
329	1982 STN 9-24	1982 STN 20	19°40	62°12	Bothnian Sea	86	<i>Bags</i> ; fine sediment (grey)	Johan Ingri
330	1982 STN 9-24	1982 STN 22	18°20	62°425	Bothnian Sea	110	<i>Bags</i> ; fine sediment (grey)	Johan Ingri

Row no	Year - box	Sample	Longitude (E)	Latitude (N)	Area	Water depth, m	Notes / Sample type	Collector
331	1982 STN 9-24	1982 STN 23	18°22	62°405	Bothnian Sea	80	<i>Jar</i> , micronodules <i>Bags</i> ; micronodules, fine sediment (grey)	Johan Ingri
332	1982 STN 9-24	1982 STN 24	18°23	62°355	Bothnian Sea	60	<i>Bags</i> ; micronodules, fine sediment (grey)	Johan Ingri
333	1982 STN 25-40	1982 STN 25	18°37	62°42	Bothnian Sea	88-100	<i>Bags</i> ; crust-irregular nodules, fine sediment (grey)	Johan Ingri
334	1982 STN 25-40	1982 STN 27	19°55	63°10	Bothnian Sea	83	<i>Bags</i> ; fine sediment (grey)	Johan Ingri
335	1982 STN 25-40	1982 STN 28	20°11	63°155	North Kvarken	84	<i>Bags</i> ; crust, fine sediment (grey)	Johan Ingri
336	1982 STN 25-40	1982 STN 30	20°23	63°24	North Kvarken	80	<i>Bags</i> ; fine sediment (brown, grey)	Johan Ingri
337	1982 STN 25-40	1982 STN 31	20°43	63°325	North Kvarken	26	<i>Bag</i> ; fine sediment (grey)	Johan Ingri
338	1982 STN 25-40	1982 STN 32	20°43	63°41	North Kvarken	30	<i>Bags</i> ; girdles on stones, fine sediment (grey)	Johan Ingri
339	1982 STN 25-40	1982 STN 33	20°45	63°435	North Kvarken	27	<i>Bags</i> ; thin crust in sediment, sandy fine sediment, fine sediment (grey)	Johan Ingri
340	1982 STN 25-40	1982 STN 34	20°49	63°485	North Kvarken	26	<i>Jar</i> , nodule <i>Bags</i> ; nodules in crust, crust in sand, fine sediment (grey)	Johan Ingri

Row no	Year - box	Sample	Longitude (E)	Latitude (N)	Area	Water depth, m	Notes / Sample type	Collector
341	1982 STN 25-40	1982 STN 35	20°58	63°53	North Kvarken	44	<i>Bags</i> ; fine sediment (brown, grey)	Johan Ingri
342	1982 STN 25-40	1982 STN 36	21°03	63°55	North Kvarken	44	<i>Bags</i> ; fine sediment (grey)	Johan Ingri
343	1982 STN 25-40	1982 STN 37	21°15	63°555	Bothnian Bay	56	sample 82-37-51 taken <i>Bags</i> ; nodules (many, diff. size), brown hard fine sediment, fine sediment (grey)	Johan Ingri
344	1982 STN 25-40	1982 STN 38	21°28	63°575	Bothnian Bay	64	<i>Bags</i> ; brown crust on sediment, fine sediment (grey)	Johan Ingri
345	1982 STN 25-40	1982 STN 39	21°47	64°01	Bothnian Bay	84	<i>Bags</i> ; fine sediment (grey)	Johan Ingri
346	1982 STN 25-40	1982 STN 40	22°02	64°05	Bothnian Bay	96	<i>Bags</i> ; nodules, brown crust on sediment, fine sediment (brown, grey)	Johan Ingri
347	1982 STN 41-63 + Hindersö	1982 STN 41	21°48	64°06	Bothnian Bay	102	<i>Bags</i> ; micronodules, fine sediment (brown, grey)	Johan Ingri
348	1982 STN 41-63 + Hindersö	1982 STN 42	21°36	64°05	Bothnian Bay	99	<i>Bags</i> ; fine sediment (black, brown, grey)	Johan Ingri
349	1982 STN 41-63 + Hindersö	1982 STN 43B	21°26	64°04	Bothnian Bay	94	samples 43 and 43B taken 010912 (Johan Ingri) (nodules, fine sediment)	Johan Ingri
350	1982 STN 41-63 + Hindersö	1982 STN 44	21°15	64°01	Bothnian Bay	54	missing sample (nodules, fine sediment)	Johan Ingri

Row no	Year - box	Sample	Longitude (E)	Latitude (N)	Area	Water depth, m	Notes / Sample type	Collector
351	1982 STN 41-63 + Hindersö	1982 STN 44B	21°15	64°01	Bothnian Bay	54	missing sample (nodules, fine sediment)	Johan Ingri
352	1982 STN 41-63 + Hindersö	1982 STN 45	21°17	64°02	Bothnian Bay	62	<i>Bags</i> ; nodules (small and micro), silt (brown), fine sediment (grey)	Johan Ingri
353	1982 STN 41-63 + Hindersö	1982 STN 46	21°15	64°08	Bothnian Bay	65	<i>Bags</i> ; crust, fine sediment (brown, grey)	Johan Ingri
354	1982 STN 41-63 + Hindersö	1982 STN 47	21°26	64°09	Bothnian Bay	78	missing sample (fine sediment)	Johan Ingri
355	1982 STN 41-63 + Hindersö	1982 STN 48	21°55	64°165	Bothnian Bay	108	<i>Bags</i> ; crust on fine sediment (black, brown), fine sediment (grey)	Johan Ingri
356	1982 STN 41-63 + Hindersö	1982 STN 50	21°23	64°37	Bothnian Bay	29	<i>Bags</i> ; till (?)	Johan Ingri
357	1982 STN 41-63 + Hindersö	1982 STN 51	21°53	64°40	Bothnian Bay	108	missing sample (fine sediment)	Johan Ingri
358	1982 STN 41-63 + Hindersö	1982 STN 52	21°51	64°495	Bothnian Bay	86	<i>Jars</i> ; fine sediment (brown) <i>Bags</i> ; fine sediment (black, brown)	Johan Ingri
359	1982 STN 41-63 + Hindersö	1982 STN 53	21°34	64°575	Bothnian Bay	28	<i>Bags</i> ; girdle on nodule, till (?)	Johan Ingri
360	1982 STN 41-63 + Hindersö	1982 STN 54	21°34	64°56	Bothnian Bay	48	sample taken 010912 (Johan Ingri) (nodules, fine sediment)	Johan Ingri

Row no	Year - box	Sample	Longitude (E)	Latitude (N)	Area	Water depth, m	Notes / Sample type	Collector
361	1982 STN 41-63 + Hindersö	1982 STN 55	21°40	64°51	Bothnian Bay	50	<i>Bags</i> ; penny ore (flat nodules), girdles on nodules, fine sediment (brown, grey)	Johan Ingri
362	1982 STN 41-63 + Hindersö	1982 STN 56	21°44	64°505	Bothnian Bay	74	missing sample (fine sediment)	Johan Ingri
363	1982 STN 41-63 + Hindersö	1982 STN 57	21°47	64°505	Bothnian Bay	76	<i>Bags</i> ; nodules, girdle on cobble, fine sediment (brown, grey)	Johan Ingri
364	1982 STN 41-63 + Hindersö	1982 STN 58	21°50	64°56	Bothnian Bay	80	sample taken 910115 (Johan Ingri) (fine sediment)	Johan Ingri
365	1982 STN 41-63 + Hindersö	1982 STN 59	21°525	64°757	Bothnian Bay	61	<i>Bags</i> ; crust, girdle on stone, fine sediment (grey)	Johan Ingri
366	1982 STN 41-63 + Hindersö	1982 STN 60	21°53	64°595	Bothnian Bay	52	<i>Bags</i> ; penny ore (flat nodules), girdle on stone, sand, sandy fine sediment (brown)	Johan Ingri
367	1982 STN 41-63 + Hindersö	1982 STN 61	22°01	64°58	Bothnian Bay	66	sample taken 910115 (Johan Ingri) (fine sediment)	Johan Ingri
368	1982 STN 41-63 + Hindersö	1982 STN 62	22°15	65°10	Bothnian Bay	34	sample taken 910115 (Johan Ingri) (nodules, fine sediment)	Johan Ingri
369	1982 STN 41-63 + Hindersö	1982 STN 63	22°29	65°33	Bothnian Bay	28	sample taken 910115 (Johan Ingri) (fine sediment)	Johan Ingri
370	1982 STN 41-63 + Hindersö	Hindersö	~22°28	~65°34	Bothnian Bay Hindersöfjärden E of Luleå		approx. position <i>Bags</i> ; fine sediment (grey)	Johan Ingri

Row no	Year - box	Sample	Longitude (E)	Latitude (N)	Area	Water depth, m	Notes / Sample type	Collector
371	1982 STN 41-63 + Hindersö	Hindersö	~22°28	~65°34	Bothnian Bay Hindersöfjärden E of Luleå		approx. position <i>Bags</i> ; fine sediment (brownish)	Johan Ingri
372	1983 STN 1-15	1983 STN 1	~22°27	~65°33	Lill- Skränmåsåren Bothnian Bay	30	approx. position <i>Bag</i> ; fine sediment (grey)	Johan Ingri
373	1983 STN 1-15	1983 STN 2	22°58	65°275	Bothnian Bay	72	sample taken 910115 (Johan Ingri) (fine sediment)	Johan Ingri
374	1983 STN 1-15	1983 STN 3	23°08	65°28	Bothnian Bay	93	sample taken 910115 (Johan Ingri) (fine sediment)	Johan Ingri
375	1983 STN 1-15	1983 STN 4	23°16	65°245	Bothnian Bay	82	sample taken 910115 (Johan Ingri) (fine sediment)	Johan Ingri
376	1983 STN 1-15	1983 STN 5	23°07	65°145	Bothnian Bay	90	sample taken 910115 (Johan Ingri) (nodules, crust, fine sediment)	Johan Ingri
377	1983 STN 1-15	1983 STN 6	23°13	65°13	Bothnian Bay	116	<i>Bags</i> ; fine sediment (brown, grey)	Johan Ingri
378	1983 STN 1-15	1983 STN 7	23°13	65°13	Bothnian Bay	98	<i>Bags</i> ; thin crust, fine sediment (brown, grey)	Johan Ingri
379	1983 STN 1-15	1983 STN 8	23°175	65°095	Bothnian Bay	94	sample taken 910115 (Johan Ingri) (thin crust, fine sediment)	Johan Ingri
380	1983 STN 1-15	1983 STN 9	23°22	65°05	Bothnian Bay	88	<i>Bags</i> ; thin crust, fine sediment (brown, grey)	Johan Ingri

Row no	Year - box	Sample	Longitude (E)	Latitude (N)	Area	Water depth, m	Notes / Sample type	Collector
381	1983 STN 1-15	1983 STN 10	23°22	65°015	Bothnian Bay	94	<i>Bags</i> ; thin crust, fine sediment (brown, grey)	Johan Ingri
382	1983 STN 1-15	1983 STN 11	23°06	64°56	Bothnian Bay	82	<i>Bags</i> ; sandy fine sediment with some gravel	Johan Ingri
383	1983 STN 1-15	1983 STN 12	22°55	64°54	Bothnian Bay	86	<i>Bags</i> ; penny ore (flat nodules)	Johan Ingri
384	1983 STN 1-15 + STN 13	1983 STN 13	22°48	64°515	Bothnian Bay	90	sample taken 910115, 010912 (Johan Ingri), 971128 (Per Andersson). <i>Bags</i> ; nodules (many), #13 in two boxes	Johan Ingri
385	1983 STN 1-15	1983 STN 14	22°34	64°48	Bothnian Bay	90	<i>Bags</i> ; nodules, fine sediment (black, brown, grey)	Johan Ingri
386	1983 STN 1-15	1983 STN 15	22°20	64°475	Bothnian Bay	96	sample taken 971128 (Per Andersson), 010920 (Mikael Axelsson). <i>Bags</i> ; nodules (many), fine sediment (brown, grey)	Johan Ingri
387	1983 STN 16-29	1983 STN 16	22°18	64°47	Bothnian Bay	114	missing sample (nodules, fine sediment)	Johan Ingri
388	1983 STN 16-29	1983 STN 17	22°10	64°46	Bothnian Bay	98	sample taken 910115 (Johan Ingri) (crust, fine sediment (brown, grey))	Johan Ingri
389	1983 STN 16-29	1983 STN 18	21°55	64°47	Bothnian Bay	88	sample taken 010920 ? Mikael Axelsson <i>Bags</i> ; nodules (diff. size) fine sand, fine sediment (grey)	Johan Ingri
390	1983 STN 16-29	1983 STN 19	22°09	64°47	Bothnian Bay	106	sample taken 910115 (Johan Ingri) (thin crust, fine sediment)	Johan Ingri

Row no	Year - box	Sample	Longitude (E)	Latitude (N)	Area	Water depth, m	Notes / Sample type	Collector
391	1983 STN 16-29	1983 STN 20	22°24	64°415	Bothnian Bay	92	sample taken 010920 (Mikael Axelsson) <i>Bags</i> ; nodules (including large, 3 cm, flat nodules), sand, fine sediment (brown)	Johan Ingri
392	1983 STN 16-29	1983 STN 21	22°22	64°37	Bothnian Bay	100	<i>Bags</i> ; thin crust, fine sediment (brown, grey)	Johan Ingri
393	1983 STN 16-29	1983 STN 22	22°15	64°34	Bothnian Bay	102	missing sample (fine sediment)	Johan Ingri
394	1983 STN 16-29	1983 STN 23	22°09	64°33	Bothnian Bay	116	<i>Bags</i> ; nodules (small, micro-), fine sediment (brown)	Johan Ingri
395	1983 STN 16-29	1983 STN 24	22°09	64°29	Bothnian Bay	104	sample taken 010922 (Johan Ingri) (nodules, crust, fine sediment)	Johan Ingri
396	1983 STN 16-29	1983 STN 25	22°11	64°29	Bothnian Bay	110	missing sample (nodules, fine sediment)	Johan Ingri
397	1983 STN 16-29	1983 STN 26	22°20	64°305	Bothnian Bay	92	<i>Bags</i> ; nodules, crust, fine sediment (brown and grey)	Johan Ingri
398	1983 STN 16-29	1983 STN 27	22°175	64°265	Bothnian Bay	86	missing sample (nodules, crust, fine sediment)	Johan Ingri
399	1983 STN 16-29	1983 STN 28	22°17	64°255	Bothnian Bay	94	missing sample (nodules, fine sediment)	Johan Ingri
400	1983 STN 16-29	1983 STN 29	22°14	64°22	Bothnian Bay	100	sample taken 010920 ? Mikael Axelsson <i>Bags</i> ; nodules (diff. size), crust, fine sediment (brown, grey)	Johan Ingri

Row no	Year - box	Sample	Longitude (E)	Latitude (N)	Area	Water depth, m	Notes / Sample type	Collector
401	1983 STN 31-50	1983 STN 31	22°125	64°15	Bothnian Bay	102	sample taken 919115 (Johan Ingri) (crust, fine sediment (brown, grey))	Johan Ingri
402	1983 STN 31-50	1983 STN 32	22°08	64°11	Bothnian Bay	102	<i>Bags</i> ; crust, fine sediment (black, grey)	Johan Ingri
403	1983 STN 31-50	1983 STN 33	21°52	64°105	Bothnian Bay	110	sample taken 910115 (Johan Ingri) (thin crust, fine sediment)	Johan Ingri
404	1983 STN 31-50	1983 STN 34	21°44	64°11	Bothnian Bay	110	<i>Bags</i> ; thin crust, fine sediment (black, grey)	Johan Ingri
405	1983 STN 31-50	1983 STN 35	21°37	64°11	Bothnian Bay	96	sample taken 910115 (Johan Ingri) (nodules, fine sediment)	Johan Ingri
406	1983 STN 31-50	1983 STN 36	21°34	64°11	Bothnian Bay	72	<i>Bags</i> ; girdle on cobble, coating on stone, sandy fine sediment	Johan Ingri
407	1983 STN 31-50	1983 STN 37	21°32	64°10	Bothnian Bay	88	sample taken 910115 (Johan Ingri) (crust, fine sediment) <i>Bag</i> ; fine sediment (grey)	Johan Ingri
408	1983 STN 31-50	1983 STN 38			Bothnian Bay	104	position missing, sample missing (thin crust, fine sediment (black, grey))	Johan Ingri
409	1983 STN 31-50	1983 STN 39B	21°25	64°05	Bothnian Bay	98	<i>Bags</i> ; fine sediment (brown)	Johan Ingri
410	1983 STN 31-50	1983 STN 40	21°33	64°045	Bothnian Bay	112	<i>Bags</i> ; fine sediment (brown)	Johan Ingri

Row no	Year - box	Sample	Longitude (E)	Latitude (N)	Area	Water depth, m	Notes / Sample type	Collector
411	1983 STN 31-50	1983 STN 41	21°33	63°54	Bothnian Bay	70	<i>Bags</i> ; flat nodules some with girdles, flat nodules in sand	Johan Ingri
412	1983 STN 31-50	1983 STN 42	21°33	63°51	Bothnian Bay	78	<i>Bags</i> ; nodules, fine sediment (grey)	Johan Ingri
413	1983 STN 31-50	1983 STN 43	21°32	63°51	Bothnian Bay	78	<i>Bag</i> ; fine sediment (black)	Johan Ingri
414	1983 STN 31-50	1983 STN 44	21°27	63°47	North Kvarken	75	<i>Bag</i> ; fine sediment (grey)	Johan Ingri
415	1983 STN 31-50	1983 STN 45	21°27	63°45	North Kvarken	71	sample taken 910115 (Johan Ingri) (nodules, fine sediment)	Johan Ingri
416	1983 STN 31-50	1983 STN 46	19°13	63°133	Bothnian Sea	110	<i>Bag</i> ; fine sediment (grey)	Johan Ingri
417	1983 STN 31-50	1983 STN 47	19°22	63°16	Bothnian Sea	100	<i>Bag</i> ; fine sediment (dark grey)	Johan Ingri
418	1983 STN 31-50	1983 STN 48	19°29	63°19	Bothnian Sea	78	<i>Bag</i> ; fine sediment (dark grey)	Johan Ingri
419	1983 STN 31-50	1983 STN 49	19°38	63°21	Bothnian Sea	72	<i>Bags</i> ; crust, sandy fine sediment with gravel	Johan Ingri
420	1983 STN 31-50	1983 STN 50	19°47	63°20	Bothnian Sea	96	<i>Bags</i> ; fine sediment (grey)	Johan Ingri

Row no	Year - box	Sample	Longitude (E)	Latitude (N)	Area	Water depth, m	Notes / Sample type	Collector
421	1983 STN 51-66	1983 STN 51	20°025	63°225	Bothnian Sea	74	<i>Bags</i> ; fine sediment (brown, grey)	Johan Ingri
422	1983 STN 51-66	1983 STN 54	19°58	63°15	Bothnian Sea	100	<i>Bags</i> ; micronodules, fine sediment (grey)	Johan Ingri
423	1983 STN 51-66	1983 STN 55	19°45	63°115	Bothnian Sea	122	<i>Bags</i> ; micronodules, fine sediment (grey)	Johan Ingri
424	1983 STN 51-66	1983 STN 56	20°00	63°07	Bothnian Sea	112	<i>Bags</i> ; fine sediment (grey)	Johan Ingri
425	1983 STN 51-66	1983 STN 57	19°47	63°04	Bothnian Sea	122	<i>Bags</i> ; fine sediment (brown)	Johan Ingri
426	1983 STN 51-66	1983 STN 58	19°54	62°595	Bothnian Sea	102	<i>Bags</i> ; nodules/crust in gravel, sand-gravel, fine sediment (grey)	Johan Ingri
427	1983 STN 51-66	1983 STN 59	19°46	62°575	Bothnian Sea	104	<i>Bags</i> ; crust, fine sediment (brown)	Johan Ingri
428	1983 STN 51-66	1983 STN 60	19°40	62°57	Bothnian Sea	96	<i>Bags</i> ; crust, fine sediment (brown)	Johan Ingri
429	1983 STN 51-66	1983 STN 61	18°55	62°55	Bothnian Sea	212	missing sample	Johan Ingri
430	1983 STN 51-66	1983 STN 62	18°15	62°28	Bothnian Sea	28	missing sample	Johan Ingri

Row no	Year - box	Sample	Longitude (E)	Latitude (N)	Area	Water depth, m	Notes / Sample type	Collector
431	1983 STN 51-66	1983 STN 63	18°26	62°255	Bothnian Sea	66	<i>Bags</i> ; fine sediment (brown, grey)	Johan Ingri
432	1983 STN 51-66	1983 STN 64	18°35	62°22	Bothnian Sea	104	<i>Bags</i> ; fine sediment (brown, grey)	Johan Ingri
433	1983 STN 51-66	1983 STN 65	18°20	62°18	Bothnian Sea	96	<i>Bags</i> ; fine sediment (brown, grey)	Johan Ingri
434	1983 STN 51-66	1983 STN 66	18°07	62°15	Bothnian Sea	~80	<i>Jars</i> ; fine sediment <i>Bags</i> ; crust, fine sediment	Johan Ingri
435	1983 STN 00	1983 STN 00	20°20	64°53	Boliden- Bastuträsket		shore <i>Bags</i> ; thin coatings on cobbles	Johan Ingri
436	1984 STN 1-23	84-1	18°14	58°35	Baltic Sea Landsortsdjupet	442	<i>Bag</i> ; fine sediment (brownish to grey)	Johan Ingri
437	1984 STN 1-23	84-3	18°09	58°31	Baltic Sea	104	<i>Bag</i> ; fine sediment (brown)	Johan Ingri
438	1984 STN 1-23	84-4	18°00	58°02	Baltic Sea	210	<i>Bag</i> ; fine sediment (grey)	Johan Ingri
439	1984 STN 1-23	84-5	17°19	57°33	Baltic Sea	104	<i>Bags</i> ; fine sediment (dark grey)	Johan Ingri
440	1984 STN 1-23	84-6	17°16	57°295	Baltic Sea	80	<i>Bags</i> ; crust, coatings on stones and gravel, fine sediment (dark grey)	Johan Ingri

Row no	Year - box	Sample	Longitude (E)	Latitude (N)	Area	Water depth, m	Notes / Sample type	Collector
441	1984 STN 1-23	84-7	17°20	57°23	Baltic Sea	55	<i>Bags</i> ; fine sediment (grey)	Johan Ingri
442	1984 STN 1-23	84-8	17°28	57°20	Baltic Sea	80	<i>Bag</i> ; fine sediment (grey)	Johan Ingri
443	1984 STN 1-23	84-10	17°29	57°175	Baltic Sea	83	<i>Bag</i> ; fine sediment (grey)	Johan Ingri
444	1984 STN 1-23	84-11	17°30	57°12	Baltic Sea	68	<i>Bag</i> ; fine sediment (grey)	Johan Ingri
445	1984 STN 1-23	84-12	17°23	57°025	Baltic Sea	80	<i>Bag</i> ; fine sediment (grey)	Johan Ingri
446	1984 STN 1-23	84-13	17°17	57°00	Baltic Sea	63	<i>Bags</i> ; gravel, fine sediment (brown)	Johan Ingri
447	1984 STN 1-23	84-14	17°13	56°57	Baltic Sea	78	<i>Bag</i> ; fine sediment (dark grey)	Johan Ingri
448	1984 STN 1-23	84-15	17°08	56°57	Baltic Sea	56	<i>Bags</i> ; fine sediment (grey)	Johan Ingri
449	1984 STN 1-23	84-16	17°04	56°52	Baltic Sea	64	<i>Bags</i> ; fine sediment (grey)	Johan Ingri
450	1984 STN 1-23	84-17	17°03	56°49	Baltic Sea	61	<i>Bags</i> ; thin girdles and coatings on stones and gravel, stones and gravel, fine sediment (brown)	Johan Ingri

Row no	Year - box	Sample	Longitude (E)	Latitude (N)	Area	Water depth, m	Notes / Sample type	Collector
451	1984 STN 1-23	84-18	17°00	56°47	Baltic Sea	52	<i>Bag</i> ; stones-gravel-sand	Johan Ingri
452	1984 STN 1-23	84-19	16°59	56°425	Baltic Sea	68	<i>Bag</i> ; fine sediment (dark grey)	Johan Ingri
453	1984 STN 1-23	84-20	17°00	56°37	Baltic Sea	72	<i>Bag</i> ; fine sediment (dark grey)	Johan Ingri
454	1984 STN 1-23	84-21	17°00	56°32	Baltic Sea	73	<i>Bags</i> ; fine sediment (brown, dark grey)	Johan Ingri
455	1984 STN 1-23	84-22	17°00	56°27	Baltic Sea	72	<i>Bag</i> ; fine sediment (brown, dark grey)	Johan Ingri
456	1984 STN 1-23	84-23	17°00	56°22	Baltic Sea	56	<i>Bags</i> ; coatings and girdles on stones and gravel, fine sediment (brown, grey)	Johan Ingri
457	1984 STN 25-39	84-25	16°55	56°13	Baltic Sea	32	<i>Bag</i> ; stones gravel sand	Johan Ingri
458	1984 STN 25-39	84-26	16°47	56°11	Baltic Sea	48	<i>Bag</i> ; fine sediment (brown)	Johan Ingri
459	1984 STN 25-39	84-27	16°42	56°12	Baltic Sea	54	<i>Bags</i> ; nodules, fine sediment (brown)	Johan Ingri
460	1984 STN 25-39	84-28	16°37	56°12	Baltic Sea	48	<i>Bag</i> ; stones-gravel-sand	Johan Ingri

Row no	Year - box	Sample	Longitude (E)	Latitude (N)	Area	Water depth, m	Notes / Sample type	Collector
461	1984 STN 25-39	84-30	16°35	56°085	Baltic Sea	51	<i>Bag</i> ; sandy fine sediment (brown)	Johan Ingri
462	1984 STN 25-39	84-31	16°32	56°07	Baltic Sea	48	<i>Bag</i> ; fine sediment (brown)	Johan Ingri
463	1984 STN 25-39	84-33	16°34	56°045	Baltic Sea	52	<i>Bag</i> ; stones-gravel-sand	Johan Ingri
464	1984 STN 25-39	84-34	16°43	56°01	Baltic Sea	52	<i>Bag</i> ; fine sediment (brown)	Johan Ingri
465	1984 STN 25-39	84-35	16°30	55°595	Baltic Sea	48	<i>Bag</i> ; gravel-sand	Johan Ingri
466	1984 STN 25-39	84-36	16°31	55°58	Baltic Sea	49	<i>Bags</i> ; crust in stones and gravel, girdles and coatings on stones and gravel, fine sediment (brown)	Johan Ingri
467	1984 STN 25-39	84-37	16°275	55°565	Baltic Sea	49	<i>Bags</i> ; nodule (large, flat), coatings and girdles on gravel, gravel-sand, fine sediment (brown)	Johan Ingri
468	1984 STN 25-39	84-38	16°225	55°54	Baltic Sea	50	<i>Bags</i> ; coatings and girdles on gravel, gravel-sand, fine sediment (dark grey)	Johan Ingri
469	1984 STN 25-39	84-39	16°22	55°52	Baltic Sea	52	<i>Bags</i> ; coatings and girdles on stones and gravel, stones-gravel-sand, fine sediment (brown)	Johan Ingri
470	1984 STN 40-48	84-40	16°17	55°51	Baltic Sea	54	<i>Bag</i> ; sandy fine sediment (brown)	Johan Ingri

Row no	Year - box	Sample	Longitude (E)	Latitude (N)	Area	Water depth, m	Notes / Sample type	Collector
471	1984 STN 40-48	84-41	16°13	55°52	Baltic Sea	55	<i>Bags</i> ; fine sediment (dark grey)	Johan Ingri
472	1984 STN 40-48	84-43	16°155	56°085	Baltic Sea	34	<i>Bags</i> ; thin coatings on sand, fine sediment (brown)	Johan Ingri
473	1984 STN 40-48	84-44	16°145	56°04	Baltic Sea	36	<i>Bags</i> ; thin coatings and girdles on gravel, gravel, fine sediment (brown)	Johan Ingri
474	1984 STN 40-48	84-45	16°055	55°57	Baltic Sea	42	<i>Bags</i> ; girdles and thin coatings on gravel, gravel-sand	Johan Ingri
475	1984 STN 40-48	84-46	15°595	55°485	Baltic Sea	60	<i>Bags</i> ; fine sediment (black, grey)	Johan Ingri
476	1984 STN 40-48	84-47	15°515	55°455	Baltic Sea	59	<i>Bags</i> ; fine sediment (black, grey)	Johan Ingri
477	1984 STN 40-48	84-48	15°495	55°42	Baltic Sea	55	<i>Bags</i> ; girdles and coatings on gravel, fine sediment (brown)	Johan Ingri
478	1984 STN 49-68	84-49	15°44	55°375	Baltic Sea	70	<i>Bags</i> ; fine sediment (black, brown, grey)	Johan Ingri
479	1984 STN 49-68	84-52	15°235	55°305	Baltic Sea	78	<i>Bags</i> ; fine sediment (grey)	Johan Ingri
480	1984 STN 49-68	84-53	15°13	55°305	Baltic Sea	84	<i>Bags</i> ; fine sediment (dark grey)	Johan Ingri

Row no	Year - box	Sample	Longitude (E)	Latitude (N)	Area	Water depth, m	Notes / Sample type	Collector
481	1984 STN 49-68	84-54	15°05	55°305	Baltic Sea	89	<i>Bags</i> ; fine sediment (dark grey)	Johan Ingri
482	1984 STN 49-68	84-55	14°53	55°30	Baltic Sea	70	<i>Bags</i> ; fine sediment (black)	Johan Ingri
483	1984 STN 49-68	84-56	14°435	55°30	Baltic Sea	66	<i>Bags</i> ; fine sediment (black, dark grey)	Johan Ingri
484	1984 STN 49-68	84-57	14°325	55°295	Baltic Sea	43	<i>Bags</i> ; fine sand	Johan Ingri
485	1984 STN 49-68	84-58	14°26	55°28	Baltic Sea	47	<i>Bags</i> ; fine sediment (black, dark grey)	Johan Ingri
486	1984 STN 49-68	84-60	14°02	55°115	Baltic Sea	41	<i>Bags</i> ; fine sediment (black, grey)	Johan Ingri
487	1984 STN 49-68	84-61	13°33	55°135	Baltic Sea	42	<i>Bags</i> ; fine sediment (brown, grey)	Johan Ingri
488	1984 STN 49-68	84-62	12°475	55°14	Baltic Sea	25	<i>Bag</i> ; sand	Johan Ingri
489	1984 STN 49-68	84-63	12°46	55°145	Baltic Sea	23	<i>Bags</i> ; fine sediment (brown, grey)	Johan Ingri
490	1984 STN 49-68	84-64	12°56	55°40	Baltic Sea	15	<i>Bags</i> ; fine sediment (black, brown)	Johan Ingri

Row no	Year - box	Sample	Longitude (E)	Latitude (N)	Area	Water depth, m	Notes / Sample type	Collector
491	1984 STN 49-68	84-66A	12°48	55°52	Baltic Sea	37	<i>Bags</i> ; fine sediment (brown, grey) Box-corer I	Johan Ingri
492	1984 STN 49-68	84-66B	12°48	55°52	Baltic Sea	37	<i>Bags</i> , sand, fine sediment (black) Box-corer II	Johan Ingri
493	1984 STN 49-68	84-67	12°265	56°115	Baltic Sea	24	<i>Bags</i> ; fine sediment (brown)	Johan Ingri
494	1984 STN 49-68	84-68	12°185	56°17	Baltic Sea	27	<i>Bags</i> ; fine sediment (brown)	Johan Ingri
495	1985 STN 1,2,100	1985 STN 1	~17°40	~58°50	Baltic Sea Bojen, Askö	15-35	approx. position <i>Bags</i> ; stones (a few with coatings) and gravel	Johan Ingri
496	1985 STN 1,2,100	1985 STN 2	~17°44	~59°00	Baltic Sea Grönsö, Himmerfjärden	15-35	approx. position <i>Bags</i> ; crust	Johan Ingri
497	1985 STN 1,2,100	1985 STN 100	~17°43	~58°56	Baltic Sea Kallas vik	29	approx. position <i>Bag</i> ; crust	Johan Ingri