

Check List of the Freshwater Fishes of South and Central America (CLOFFSCA)

Editors Roberto E. Reis, Sven O. Kullander, and Carl J. Ferraris, Jr.
Published 2003 by Edipucrs, Porto Alegre, Brazil

Corrigenda for CLOFFSCA

Updated 28 March 2005

p. 60. ADD:

***Steindachnerina corumbae* Pavanelli & Britski, 1999**
Steindachnerina corumbae Pavanelli & Britski, 1999: 212, fig. 2. Type locality: Brazil: State of Goiás: Rio Pirapitinga, tributary of Rio Corumbá, Caldas Novas; 17°48'S 48°33'W. Holotype: MZUSP 52361.
Maximum length: 11.7 cm SL
Distribution: South America: Paraná River basin, Rio Corumbá drainage.
Countries: Brazil

p. 69. ADD:

Pavanelli, C.P. & H.A. Britski. 1999. Description of a new species of *Steindachnerina* (Teleostei: Characiformes: Curimatidae) from the upper Rio Paraná basin, Brazil. *Ichthyological Exploration of Freshwaters*, 10: 211-216.

p. 74. REPLACE: Account for *Leporinus aripuanaensis* with: ***Leporinus aripuanaensis* Garavello & Santos, 1981**
Leporinus aripuanaensis Garavello & Santos, 1981: 188. Type locality: bacia do Rio Aripuanã, Estado do Mato Grosso [Brazil]. Syntypes: at MZUSP.
Remarks: Originally described with variation in meristics that presumes that more than one specimen was examined and no holotype was mentioned. Therefore, the syntype series is presumed to consist of the specimens listed as holotype and paratypes in Garavello and Santos (1992) as well as Oyakawa (1996).

p. 75. REPLACE: Account for *Leporinus gomesi* with: ***Leporinus gomesi* Garavello & Santos, 1981**
Leporinus gomesi Garavello & Santos, 1981: 188. Type locality: bacia do Rio Aripuanã, Estado do Mato Grosso [Brazil]. Syntypes: at MZUSP.
Remarks: Originally described with variation in meristics that presumes that more than one specimen was examined and no holotype was mentioned. Therefore, the syntype series is presumed to consist of the specimens listed as holotype and paratypes in Garavello (1990) as well as Oyakawa (1996).

p. 92. ADD:

***Melanocharacidium nigrum* Backup, 1993**
Melanocharacidium nigrum Backup, 1993: 128, fig. 12. Type locality: Rio Mucajai, upstream of Ilha do Paredão, Território Federal de Roraima, Brazil. Holotype: INPA 1681.
Maximum length: 6.7 cm SL
Distribution: South America: Amazon basin, rivers draining Guiana shield.
Countries: Brazil

p. 93. ADD:

***Microcharacidium weitzmani* Backup, 1993**
Microcharacidium weitzmani Backup, 1993: 141, fig. 18. Type locality: Small "caño" (Río Orinoco drainage), 5°25'W 67°46'N, 2 km south of Mirabel, Río Orinoco drainage, on

road between Puerto Ayacucho and Samariapo, Departamento Ature, Territorio Federal del Amazonas, Venezuela. Holotype: MBUCV-V-21796.
Maximum length: 1.6 cm SL
Distribution: South America: Amazon and Orinoco basins.
Countries: Brazil, Venezuela.

p. 112. ADD:

***Astyanax stenohalinus* Messner, 1962**
Astyanax stenohalinus Messner, 1962: 4. Type locality: todo el país [Uruguay] ... Brasil (R. Vacacaí, estado de R. Grande do Sul. Syntypes: MHNM CI 845 (2), 1066 (1), 1186 (1), 1646 (2).
Maximum length:
Distribution: South America: Rio Uruguay basin in Brazil and Uruguay.
Countries: Brazil, Uruguay

p. 129. ADD:

***Hemibrycon beni* Pearson, 1924**
Hemibrycon beni Pearson 1924: 42, pl. 2 (fig. 6). Type locality: Espia, Bolivia. Syntypes: (48) CAS 44333 [ex IU 17321] (29), 44334 [ex IU 17321] (now 60); UMMZ 66504 (16); USNM 117543 [ex UMMZ 66504 and IU 17321] (2).
Maximum length: 6.6 cm SL
Distribution: South America: Amazon River basin, Rio Beni in Bolivia
Countries: Bolivia

p. 152. ADD:

***Oligosarcus longirostris* Menezes & Géry, 1983**
Oligosarcus longirostris Menezes & Géry, 1983: 576, fig. 4. Type-locality: Rio Iguaçu (Paraná basin) at Porto Lupion, State of Paraná, Brazil. Holotype: MZUSP 25841.
Maximum length:
Distribution: South America: Paraná River basin.
Countries: Argentina and Brazil

p. 166. ADD:

Messner, E. 1962. Lista de los peces Tetragonopterinae (fam. Characidae) del Uruguay. *Boletín Asociación Latino-Americana Ictiología y Herpetología* 2: 4-5.

p. 283. ADD:

***Trichomycterus potschi* Barbosa & Costa, 2003**
Trichomycterus potschi Barbosa & Costa, 2003: 282, figs. 1-5. Type-locality: Brazil: Estado do Rio de Janeiro: rio das Cachoeiras, serra do Matutu, Município de Mangaratiba. Holotype: MCP 29061.
Maximum length: 8.05 cm SL
Distribution: Coastal streams near Mangaratiba, Rio de Janeiro State.
Countries: Brazil

p. 287. ADD:

Barbosa, M.A. & W.J.E.M. Costa. 2003. *Trichomycterus potschi* (Siluriformes: Loricarioidea): a new trichomycterid catfish from coastal streams of southeastern Brazil. *Ichthyological Exploration of Freshwaters*, 14: 281-287.

p. 254. ADD:

Species inquirenda Siluriformes

Pimelodus pusillus Ranzani, 1842: 332, pl. 27. Type locality: Unknown. Holotype: MZUB 933. Name appeared first in Ranzani (1841: 64) as a *nomen nudum*.

p. 293. ADD:

Aspidoras taurus Lima & Britto, 2001

Aspidoras taurus Lima & Britto, 2001: 1011, fig. 1. Type locality: Brazil: Mato Grosso State, município de Alto Garças, Fazenda Cabeceira do Itiquira, close to highway BR-364, rio Itiquira, rio Paraguay system, 16°56'S 53°32'W. Holotype: MZUSP 57154.

Max. length: 5.4 cm SL

Distribution: South America: Upper rio Paraguay basin.

Countries: Brazil

p. 304. ADD to the synonymy of *Hoplosternum*:

Diasternum Franz, 2001: 17. Type species: *Hoplosternum punctatum* Meek & Hildebrand, 1916. Type by original designation. Gender: Neuter.

p. 306. ADD:

Franz, D. 2001. Schwielenwelse, Morphologische Untersuchung der Gattung *Hoplosternum* Gill, 1858, und Beschreibung der Gattung *Diasternum* gen. nov. (Actinopterygii: Callichthyidae). *Das Aquarium*, no. 389: 17-23.

p. 307. ADD:

Lima, F.C.T. & M.R. Britto. 2001. New catfish of the genus *Aspidoras* (Siluriformes, Callichthyidae) from the upper Rio Paraguay system in Brazil. *Copeia*, 2001(4): 1010-1016.

p. 436. ADD:

Duopalatinus olallae Orcés, 1977

Duopalatinus olallae Orcés, 1977: 78, fig. 4. Type locality: el bajo Bobonaza. Holotype: EPN, catalog number not stated

Max. length: 15.2 cm SL

Distribution: South America: Amazon River basin: Bobonaza River drainage.

Countries: Ecuador

p. 444. ADD:

Orcés V., G. 1976-1977. Contribuciones al conocimiento de los peces del Ecuador. 1-. Especies de la subfamilia Sorubiminae. *Politécnica*, 3: 76-91.

p. 453. ADD In **Species inquirendae**:

Bagrus flavescens Valenciennes, in Cuvier & Valenciennes, 1840a: 462 (342 of Strasbourg deluxe edition). Type locality: Cayenne, French Guiana. Holotype: MNHN a-8566 (mounted).

p. 473. CHANGE In the account of *Auchenipterichthys thoracatus*:

NMW 47452 **TO** NMW 47454.

p. 541. CHANGE In the account of *Simpsonichthys marginatus*:

São Francisco River basin **TO** Tocantins River basin.